

---

TRUST FLAIR  
TRUST PRO


# THE **ULTIMATE** EASY FIT SHOWERING SOLUTIONS

UK - APRIL 2025



ESSENTIAL COLLECTIONS  
TECHNICAL

[FLAIRSHOWERS.COM](http://FLAIRSHOWERS.COM)



# EXCEPTIONAL EVERYDAY.

Flair has been designing showering solutions for over 70 years and perfecting them since. Our products are beautifully designed and expertly engineered to stand the test of time in the busiest of bathrooms. At Flair our vision is to produce beautifully designed, expertly crafted showering solutions for every customer, every budget, style & space.

The tradition of design excellence continues with the launch of our Flair PRO Essential Collections; an extensive portfolio of shower enclosures, wetrooms, and bathscreens that are tailored to meet the exacting demands of trade professionals.

Flair PRO Essential Collections are engineered for quick installation without having to compromise on quality, look and feel. We are trusted for our commitment to delivering innovative solutions that make your job quicker and easier.

All backed by Flair's 20 year guarantee.



TRUST FLAIR  
TRUST PRO

HAVE YOU  
CLICKED YET?





# THE ULTIMATE EASY FIT SHOWERING SOLUTIONS

- Easy to fit**  
Flair's professional grade showering solutions have been developed to be quick and easy to fit. Our innovative installation designs mean that frames can be quickly put into place. We also provide user-friendly instructions and generous adjustments.
- Built to last**  
We invest in product design, materials and quality control to make sure our products stand the test of time and provide a true fit-and-forget solution.
- Unrivalled choice**  
Our showering collections have something for every customer, every budget, style and space.
- Exceptional customer support**  
The success of Flair has been built upon exceptional service and support. From advising on product selection to quickly finding spare parts, our friendly team are here to help.



Scan the code to visit our YouTube channel and view the Installation Videos

## CONTENTS

|                          |    |
|--------------------------|----|
| VERVE PRO 8              | 12 |
| VERVE PRO                | 22 |
| VERVE WETROOMS           | 40 |
| VERVE BATHSCREENS        | 44 |
| SLIMLINE TELESCOPIC      | 52 |
| FRAMELESS SIX            | 60 |
| SHOWER TRAYS             | 70 |
| SPECIFICATION COMPARISON | 84 |

EXCEPTIONAL  
*EVERYDAY.*



*FIND YOUR FLAIR.*

THE  
DIFFERENCE  
IS CLEAR!

8mm

TOUGHENED  
SAFETY GLASS

VERVE PRO 8

VERVE PRO

6mm

TOUGHENED  
SAFETY GLASS

# VERVE PRO

## THE **ULTIMATE EASY FIT** SHOWERING SOLUTIONS AVAILABLE IN **8MM & 6MM** TOUGHENED SAFETY GLASS

Our Verve shower enclosures feature a Click Fit PRO assembly system that is expertly engineered to simplify life for trade professionals. Designed for fast, secure, and hassle-free setup, it provides the ultimate solution for quick, easy, and reliable installations.

Combining practicality with quality and professional aesthetics, the Verve Click Fit PRO system reflects Flair Showers' dedication to delivering seamless performance for both trade professionals and homeowners alike.



UP TO  
**8mm**  
TOUGHENED  
SAFETY GLASS

## VERVE PRO 8

Designed for everyday luxury, the Verve PRO 8 boasts up to 8mm robust glass, quick installation, and a choice of Silver, Matte Black, or Brushed Brass finishes.

SILVER

MATTE BLACK

BRUSHED BRASS

**6mm**  
TOUGHENED  
SAFETY GLASS

## VERVE PRO

Trusted for everyday bathrooms, the Verve PRO features durable 6mm glass and the Click Fit PRO system, offering effortless style in Silver and Matte Black.


SILVER

MATTE BLACK

## CLICK FIT PRO

### Step 1

Align the horizontal profile and vertical shower door profiles together so they are in a straight upward position.



flair  
PRO  
The Hallmark  
of Innovation



### Step 2

Slide the pre-assembled click-fit PRO bracket into place on the vertical profile so the snap hook smoothly locks into the snap fit access port, connecting the two profiles and forming a secure screw-free joint.



Engineered for  
**VERVE PRO 8 + VERVE PRO**  
(where applicable)

## SCREW-FREE ASSEMBLY SYSTEM FOR QUICK & EASY INSTALLATION.

INSTALLERS  
CHOICE

Horizontal  
Profile

Click Fit  
Pro Bracket

Snap Hook

Snap Fit  
Access Port

Vertical  
Profile

DESIGNED FOR  
*EVERYDAY LUXURY.*



INTRODUCING

# VERVE PRO 8

Introducing Verve PRO 8 – a collection designed to elevate your daily showering ritual with a touch of luxury.

Crafted with up to 8mm toughened glass, it blends strength with a sleek, professional aesthetic.

Engineered with Click Fit PRO, Verve PRO 8 ensures fast, seamless installation for trade professionals who demand quality.

### FINISHES:

- SILVER
- MATTE BLACK
- BRUSHED BRASS

### KEY FEATURES:

|                                                                              |                                      |                                                           |                                                 |
|------------------------------------------------------------------------------|--------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| UP TO<br><b>8mm</b><br>TOUGHENED<br>SAFETY GLASS                             | <b>1950mm</b><br>HEIGHT              | UP TO<br><b>50mm</b><br>PRODUCT<br>ADJUSTMENT             |                                                 |
| HANDLE ON<br>INSIDE AND<br>OUTSIDE OF<br>ENCLOSURE<br>FOR EASE<br>OF OPENING | POSITIVE<br>MAGNETIC<br>CLOSE ACTION | CLEARVUE<br>GLASS<br>COATING                              | QUICK RELEASE<br>CHROME DOUBLE<br>WHEEL ROLLERS |
| 30mm WALL<br>PROFILE<br>EXTENSION<br>AVAILABLE                               | CHROME PLATED<br>COVER CAPS          | REVERSIBLE FOR<br>LEFT OR RIGHT<br>HANDED<br>INSTALLATION | 20 YEAR<br>GUARANTEE                            |

SILVER

MATTE BLACK

BRUSHED BRASS



DESIGNED FOR  
EVERYDAY LUXURY.

VERVE PRO 8

# VERVE PRO 8

## 1 DOOR QUADRANT & 1 DOOR OFFSET QUADRANT

CLICK FIT  
PRO

FINISHES:

- SILVER
- MATTE BLACK
- BRUSHED BRASS



1 DOOR OFFSET QUADRANT  
(LEFT HAND) - BRUSHED BRASS

HANDLE DETAIL -  
BRUSHED BRASS



### VERVE PRO 8 – 1 DOOR QUADRANT

| SIZE<br>(mm) | ADJUSTMENT SIZE |     | ACCESS<br>(mm) | CODE<br>SILVER | CODE<br>BLACK | CODE<br>BRUSHED BRASS |
|--------------|-----------------|-----|----------------|----------------|---------------|-----------------------|
| MIN (mm)     | MAX (mm)        |     |                |                |               |                       |
| 900          | 870             | 895 | 490            | V8OCQ90SC      | V8OCQ90BC     | V8OCQ90BRBC           |

### VERVE PRO 8 – 1 DOOR OFFSET QUADRANT

| SIZE<br>(mm) | ADJUSTMENT SIZE |           | ACCESS<br>(mm) | CODE<br>SILVER | CODE<br>BLACK | CODE<br>BRUSHED BRASS |
|--------------|-----------------|-----------|----------------|----------------|---------------|-----------------------|
| MIN (mm)     | MAX (mm)        |           |                |                |               |                       |
| 800 x 1000   | 770-795         | 970-995   | 490            | V8OCQ80X100SC  | —             | —                     |
| 800 x 1200   | 770-795         | 1170-1195 | 490            | V8OCQ80X120SC  | V8OCQ80X120BC | V8OCQ80X120BRBC       |
| 900 x 1200   | 870-895         | 1170-1195 | 490            | V8OCQ90X120SC  | V8OCQ90X120BC | V8OCQ90X120BRBC       |

\*All Flair Quadrant and Offset Quadrant trays have a 550mm radius.



DESIGNED FOR  
EVERYDAY LUXURY.

1 DOOR QUADRANT  
(LEFT HAND) - MATTE BLACK

# VERVE PRO 8 SLIDING DOOR

CLICK FIT  
»»»»PRO

FINISHES:

- SILVER
- MATTE BLACK
- BRUSHED BRASS



QUICK  
RELEASE  
CHROME  
DOUBLE  
WHEEL  
ROLLERS



SLIDING DOOR IN ALCOVE - SILVER

## VERVE PRO 8 – SLIDING DOOR

| SIZE<br>(mm) | ADJUSTMENT SIZE<br>MIN (mm) MAX (mm) |      | ACCESS<br>(mm) | CODE<br>SILVER | CODE<br>BLACK | CODE<br>BRUSHED BRASS |
|--------------|--------------------------------------|------|----------------|----------------|---------------|-----------------------|
| 1200         | 1150                                 | 1200 | 475            | V8SA120SC      | V8SA120BC     | V8SA120BRBC           |
| 1400         | 1350                                 | 1400 | 575            | V8SA140SC      | V8SA140BC     | V8SA140BRBC           |
| 1500         | 1450                                 | 1500 | 575            | V8SA150SC      | V8SA150BC     | V8SA150BRBC           |

## VERVE PRO 8 – FRAMELESS SIDE PANELS

| SIZE<br>(mm) | ADJUSTMENT SIZE<br>MIN (mm) MAX (mm) |     | CODE<br>SILVER | CODE<br>BLACK | CODE<br>BRUSHED BRASS |
|--------------|--------------------------------------|-----|----------------|---------------|-----------------------|
| 700          | 670                                  | 695 | V8SP70SC       | V8SP70BC      | V8SP70BRBC*           |
| 760          | 730                                  | 755 | V8SP76SC       | V8SP76BC      | V8SP76BRBC*           |
| 800          | 770                                  | 795 | V8SP80SC       | V8SP80BC      | V8SP80BRBC            |
| 900          | 870                                  | 895 | V8SP90SC       | V8SP90BC      | V8SP90BRBC            |
| 1000         | 970                                  | 995 | V8SP100SC      | V8SP100BC*    | V8SP100BRBC*          |

## VERVE PRO 8 – PROFILE EXTENSION

| DESCRIPTION                    | CODE<br>SILVER | CODE<br>BLACK | CODE<br>BRUSHED BRASS |
|--------------------------------|----------------|---------------|-----------------------|
| 30mm Compensating Wall Profile | V8CB30SC       | V8CB30BC      | V8CB30BRBC            |

\*Available June 2025



DESIGNED FOR  
EVERYDAY LUXURY.

SLIDING DOOR WITH FRAMELESS  
SIDE PANEL - BRUSHED BRASS

# VERVE PRO 8 PIVOT DOOR

FINISHES:

- SILVER
- MATTE BLACK
- BRUSHED BRASS



HANDLE DETAIL -  
MATTE BLACK



PIVOT DOOR WITH  
INLINE PANEL -  
MATTE BLACK

## VERVE PRO 8 – PIVOT DOOR

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | ACCESS<br>(mm) | CODE<br>SILVER | CODE<br>BLACK | CODE<br>BRUSHED BRASS |
|--------------|-----------------|----------|----------------|----------------|---------------|-----------------------|
|              | MIN (mm)        | MAX (mm) |                |                |               |                       |
| 700          | 650             | 700      | 417            | V8PD70SC*      | V8PD70BC*     | V8PD70BRBC            |
| 800          | 750             | 800      | 517            | V8PD80SC       | V8PD80BC      | V8PD80BRBC            |
| 900          | 850             | 900      | 617            | V8PD90SC       | V8PD90BC      | V8PD90BRBC*           |

## VERVE PRO 8 – FRAMELESS SIDE PANELS

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | CODE<br>SILVER | CODE<br>BLACK | CODE<br>BRUSHED BRASS |
|--------------|-----------------|----------|----------------|---------------|-----------------------|
|              | MIN (mm)        | MAX (mm) |                |               |                       |
| 700          | 670             | 695      | V8SP70SC       | V8SP70BC      | V8SP70BRBC*           |
| 760          | 730             | 755      | V8SP76SC       | V8SP76BC      | V8SP76BRBC*           |
| 800          | 770             | 795      | V8SP80SC       | V8SP80BC      | V8SP80BRBC            |
| 900          | 870             | 895      | V8SP90SC       | V8SP90BC      | V8SP90BRBC            |
| 1000         | 970             | 995      | V8SP100SC      | V8SP100BC*    | V8SP100BRBC*          |

## VERVE PRO 8 – INLINE PANELS

| SIZE<br>(mm) | CODE<br>SILVER | CODE<br>BLACK | CODE<br>BRUSHED BRASS |
|--------------|----------------|---------------|-----------------------|
|              |                |               |                       |
| 300          | V8IL30SC       | V8IL30BC      | V8IL30BRBC            |
| 400          | V8IL40SC       | V8IL40BC      | V8IL40BRBC*           |

## VERVE PRO 8 – PROFILE EXTENSION

| DESCRIPTION                    | CODE<br>SILVER | CODE<br>BLACK | CODE<br>BRUSHED BRASS |
|--------------------------------|----------------|---------------|-----------------------|
|                                |                |               |                       |
| 30mm Compensating Wall Profile | V8CB30SC       | V8CB30BC      | V8CB30BRBC            |

\*Available June 2025



DESIGNED FOR  
EVERYDAY LUXURY.

PIVOT DOOR WITH FRAMELESS  
SIDE PANEL - SILVER

EXCEPTIONAL  
EVERYDAY.



# VERVE PRO

Verve PRO collection – a trusted favourite featuring durable 6mm glass, designed to deliver exceptional performance for everyday projects.

Engineered with the Verve Click Fit PRO assembly system, it ensures quick and hassle-free installation, making it the installers choice.

Available in timeless Silver and Matte Black, **Verve PRO** combines practicality with effortless style, making it a staple for every bathroom space.

Proven and dependable, **Verve PRO** is the perfect balance of quality and efficiency for trade professionals.

## FINISHES:

- SILVER
- MATTE BLACK

## KEY FEATURES:

|                                                                |                                                        |                                                                          |                                                                   |
|----------------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------|
| <div>6mm</div> <div>TOUGHENED SAFETY GLASS</div>               | <div>↑↓</div> <div>1900mm</div> <div>HEIGHT</div>      | <div>UP TO</div> <div>50mm</div> <div>PRODUCT ADJUSTMENT</div>           |                                                                   |
| <div>└┐</div> <div>SOLID CHROME HANDLE DESIGN</div>            | <div>↻</div> <div>POSITIVE MAGNETIC CLOSE ACTION</div> | <div>👁</div> <div>CLEARVUE GLASS COATING</div>                           | <div>🛞</div> <div>QUICK RELEASE CHROME DOUBLE WHEEL ROLLERS</div> |
| <div>└┐</div> <div>30mm WALL PROFILE EXTENSION AVAILABLE</div> | <div>└┐</div> <div>CHROME PLATED COVER CAPS</div>      | <div>↻</div> <div>REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION</div> | <div>❤</div> <div>20 YEAR GUARANTEE</div>                         |

# VERVE PRO

## 1 DOOR QUADRANT & 1 DOOR OFFSET QUADRANT

CLICK FIT  
»»»»PRO

FINISHES:

- SILVER
- MATTE BLACK



1 DOOR QUADRANT  
(RIGHT HAND) - MATTE BLACK

QUICK RELEASE  
CHROME DOUBLE  
WHEEL ROLLERS



### VERVE PRO – 1 DOOR QUADRANT

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | ACCESS<br>(mm) | CODE<br>SILVER | CODE<br>BLACK |
|--------------|-----------------|----------|----------------|----------------|---------------|
|              | MIN (mm)        | MAX (mm) |                |                |               |
| 800          | 770             | 795      | 435            | VOCQ80SC       | VOCQ80BC      |
| 900          | 870             | 895      | 490            | VOCQ90SC       | VOCQ90BC      |
| 1000         | 970             | 995      | 490            | VOCQ100SC      | VOCQ100BC     |

### VERVE PRO – 1 DOOR OFFSET QUADRANT

| SIZE<br>(mm) | ADJUSTMENT SIZE |           | ACCESS<br>(mm) | CODE<br>SILVER | CODE<br>BLACK |
|--------------|-----------------|-----------|----------------|----------------|---------------|
|              | MIN (mm)        | MAX (mm)  |                |                |               |
| 760 x 900    | 730-755         | 870-895   | 490            | VOCQ76X90SC    | VOCQ76X90BC   |
| 800 x 900    | 770-795         | 870-895   | 490            | VOCQ80X90SC    | –             |
| 800 x 1000   | 770-795         | 970-995   | 490            | VOCQ80X100SC   | VOCQ80X100BC  |
| 900 x 1000   | 870-895         | 970-995   | 490            | VOCQ90X100SC   | –             |
| 800 x 1200   | 770-795         | 1170-1195 | 490            | VOCQ80X120SC   | VOCQ80X120BC  |
| 900 x 1200   | 870-895         | 1170-1195 | 490            | VOCQ90X120SC   | VOCQ90X120BC  |

\*All Flair Quadrant and Offset Quadrant trays have a 550mm radius.



EXCEPTIONAL  
EVERYDAY.

1 DOOR OFFSET  
QUADRANT  
(LEFT HAND) -  
SILVER

# VERVE PRO

## 2 DOOR QUADRANT & 2 DOOR OFFSET QUADRANT

CLICK FIT

»»»» PRO

FINISHES:

SILVER



2 DOOR OFFSET QUADRANT - SILVER


### VERVE PRO – 2 DOOR QUADRANT

| SIZE (mm) | ADJUSTMENT SIZE |     | ACCESS (mm) | CODE<br>SILVER |
|-----------|-----------------|-----|-------------|----------------|
| MIN (mm)  | MAX (mm)        |     |             |                |
| 800       | 770             | 795 | 385         | VCQ80SC        |
| 900       | 870             | 895 | 538         | VCQ90SC        |

### VERVE PRO – 2 DOOR OFFSET QUADRANT

| SIZE (mm)  | ADJUSTMENT SIZE |           | ACCESS (mm) | CODE<br>SILVER |
|------------|-----------------|-----------|-------------|----------------|
| MIN (mm)   | MAX (mm)        |           |             |                |
| 800 x 1000 | 770-795         | 970-995   | 468         | VCQ80X100SC    |
| 800 x 1100 | 770-795         | 1070-1095 | 468         | VCQ80X110SC    |
| 800 x 1200 | 770-795         | 1170-1195 | 468         | VCQ80X120SC    |
| 900 x 1100 | 870-895         | 1070-1095 | 538         | VCQ90X110SC    |
| 900 x 1200 | 870-895         | 1170-1195 | 538         | VCQ90X120SC    |

\*All Flair Quadrant and Offset Quadrant trays have a 550mm radius.



EXCEPTIONAL  
EVERYDAY.

2 DOOR QUADRANT - SILVER

# VERVE PRO

## SLIDING DOOR

CLICK FIT  
»»»»PRO

FINISHES:

- SILVER
- MATTE BLACK



SOLID  
CHROME  
PLATED  
HANDLES



SLIDING DOOR IN SILVER IN ALCOVE

### VERVE PRO - SLIDING DOOR

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | ACCESS<br>(mm) | CODE<br>SILVER | CODE<br>BLACK |
|--------------|-----------------|----------|----------------|----------------|---------------|
|              | MIN (mm)        | MAX (mm) |                |                |               |
| 1000         | 950             | 1000     | 375            | VSA100SC       | VSA100BC      |
| 1100         | 1050            | 1100     | 425            | VSA110SC       | VSA110BC      |
| 1200         | 1150            | 1200     | 475            | VSA120SC       | VSA120BC      |
| 1300         | 1250            | 1300     | 525            | VSA130SC       | VSA130BC      |
| 1400         | 1350            | 1400     | 575            | VSA140SC       | VSA140BC      |
| 1500         | 1450            | 1500     | 575            | VSA150SC       | VSA150BC      |
| 1600         | 1550            | 1600     | 575            | VSA160SC       | VSA160BC      |
| 1700         | 1650            | 1700     | 575            | VSA170SC       | VSA170BC      |
| 1800         | 1750            | 1800     | 575            | VSA180SC       | —             |

### VERVE PRO - SEMI FRAMED SIDE PANELS

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | ACCESS<br>(mm) | CODE<br>SILVER | CODE<br>BLACK |
|--------------|-----------------|----------|----------------|----------------|---------------|
|              | MIN (mm)        | MAX (mm) |                |                |               |
| 700          | 670             | 695      |                | VSP70SC        | VSP70BC       |
| 760          | 730             | 755      |                | VSP76SC        | VSP76BC       |
| 800          | 770             | 795      |                | VSP80SC        | VSP80BC       |
| 900          | 870             | 895      |                | VSP90SC        | VSP90BC       |
| 1000         | 970             | 995      |                | VSP100SC       | VSP100BC      |

30mm compensating wall profile included with every Verve Side Panel  
Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

### VERVE PRO - PROFILE EXTENSION

| SIZE<br>(mm)                   | CODE<br>SILVER | CODE<br>BLACK |
|--------------------------------|----------------|---------------|
|                                |                |               |
| 30mm Compensating Wall Profile | VCB30SC        | VCB30BC       |



EXCEPTIONAL  
EVERYDAY.

SLIDING DOOR WITH SEMI FRAMED  
SIDE PANEL - MATTE BLACK

# VERVE PRO

## LEVEL ACCESS SLIDING DOOR



FINISHES:  
SILVER

### VERVE PRO - LEVEL ACCESS SLIDING DOOR

| SIZE (mm)         | ADJUSTMENT SIZE MIN (mm) MAX (mm) | ACCESS (mm) | CODE SILVER |
|-------------------|-----------------------------------|-------------|-------------|
| 1000 - Left Hand  | 950 1000                          | 380         | VSASS100LSC |
| 1000 - Right Hand | 950 1000                          | 380         | VSASS100RSC |
| 1100 - Left Hand  | 1050 1100                         | 430         | VSASS110LSC |
| 1100 - Right Hand | 1050 1100                         | 430         | VSASS110RSC |
| 1200 - Left Hand  | 1150 1200                         | 480         | VSASS120LSC |
| 1200 - Right Hand | 1150 1200                         | 480         | VSASS120RSC |
| 1300 - Left Hand  | 1250 1300                         | 530         | VSASS130LSC |
| 1300 - Right Hand | 1250 1300                         | 530         | VSASS130RSC |
| 1400 - Left Hand  | 1350 1400                         | 580         | VSASS140LSC |
| 1400 - Right Hand | 1350 1400                         | 580         | VSASS140RSC |
| 1500 - Left Hand  | 1450 1500                         | 580         | VSASS150LSC |
| 1500 - Right Hand | 1450 1500                         | 580         | VSASS150RSC |
| 1600 - Left Hand  | 1550 1600                         | 580         | VSASS160LSC |
| 1600 - Right Hand | 1550 1600                         | 580         | VSASS160RSC |
| 1700 - Left Hand  | 1650 1700                         | 580         | VSASS170LSC |
| 1700 - Right Hand | 1650 1700                         | 580         | VSASS170RSC |
| 1800 - Left Hand  | 1750 1800                         | 580         | VSASS180LSC |
| 1800 - Right Hand | 1750 1800                         | 580         | VSASS180RSC |

### VERVE PRO - SEMI FRAMED SIDE PANELS

| SIZE (mm) | ADJUSTMENT SIZE MIN (mm) MAX (mm) | CODE SILVER |
|-----------|-----------------------------------|-------------|
| 700       | 670 695                           | VSP70SC     |
| 760       | 730 755                           | VSP76SC     |
| 800       | 770 795                           | VSP80SC     |
| 900       | 870 895                           | VSP90SC     |
| 1000      | 970 995                           | VSP100SC    |


30mm Compensating Wall Profile included with every Verve Side Panel  
Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

### VERVE PRO - PROFILE EXTENSION

| DESCRIPTION                    | CODE SILVER |
|--------------------------------|-------------|
| 30mm Compensating Wall Profile | VCB30SC     |



LEVEL ACCESS SLIDING DOOR (LEFT HAND) IN ALCOVE



VSASS FEATURES AN ANTI-JUMP MECHANISM ENSURING DOOR REMAINS SECURELY ON THE TRACKS



EXCEPTIONAL  
EVERYDAY.

LEVEL ACCESS SLIDING DOOR (RIGHT HAND) WITH SIDE PANEL

# VERVE PRO

## TRIPLE PANEL SLIDING DOOR

FINISHES:

SILVER



TRIPLE PANEL SLIDING DOOR IN ALCOVE

### VERVE PRO - TRIPLE PANEL SLIDING DOOR

| SIZE (mm) | ADJUSTMENT SIZE |          | ACCESS (mm) | CODE      |
|-----------|-----------------|----------|-------------|-----------|
|           | MIN (mm)        | MAX (mm) |             | SILVER    |
| 900       | 850             | 900      | 430         | V3SA90SC  |
| 1000      | 950             | 1000     | 497         | V3SA100SC |
| 1100      | 1050            | 1100     | 563         | V3SA110SC |
| 1200      | 1150            | 1200     | 630         | V3SA120SC |

### VERVE PRO - SEMI FRAMED SIDE PANELS

| SIZE (mm) | ADJUSTMENT SIZE |          | CODE     |
|-----------|-----------------|----------|----------|
|           | MIN (mm)        | MAX (mm) | SILVER   |
| 700       | 670             | 695      | VSP70SC  |
| 760       | 730             | 755      | VSP76SC  |
| 800       | 770             | 795      | VSP80SC  |
| 900       | 870             | 895      | VSP90SC  |
| 1000      | 970             | 995      | VSP100SC |

30mm compensating wall profile included with every Verve Side Panel  
Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

### VERVE PRO - PROFILE EXTENSION

| DESCRIPTION                    | CODE    |
|--------------------------------|---------|
|                                | SILVER  |
| 30mm Compensating Wall Profile | VCB30SC |



EXCEPTIONAL  
EVERYDAY.

TRIPLE PANEL SLIDING DOOR WITH SEMI FRAMED SIDE PANEL - SILVER

# VERVE PRO BIFOLD DOOR

FINISHES:

- SILVER
- MATTE BLACK



BIFOLD DOOR  
WITH SEMI  
FRAMED SIDE  
PANEL - SILVER

## VERVE PRO - BIFOLD DOOR

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | ACCESS<br>(mm) | CODE<br>SILVER | CODE<br>BLACK |
|--------------|-----------------|----------|----------------|----------------|---------------|
|              | MIN (mm)        | MAX (mm) |                |                |               |
| 700          | 650             | 700      | 413            | VB70SC         | VB70BC        |
| 760          | 710             | 760      | 473            | VB76SC         | —             |
| 800          | 750             | 800      | 513            | VB80SC         | VB80BC        |
| 900          | 850             | 900      | 613            | VB90SC         | VB90BC        |
| 1000         | 950             | 1000     | 713            | VB100SC        | VB100BC       |

## VERVE PRO - SEMI FRAMED SIDE PANELS

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | CODE<br>SILVER | CODE<br>BLACK |
|--------------|-----------------|----------|----------------|---------------|
|              | MIN (mm)        | MAX (mm) |                |               |
| 700          | 670             | 695      | VSP70SC        | VSP70BC       |
| 760          | 730             | 755      | VSP76SC        | VSP76BC       |
| 800          | 770             | 795      | VSP80SC        | VSP80BC       |
| 900          | 870             | 895      | VSP90SC        | VSP90BC       |
| 1000         | 970             | 995      | VSP100SC       | VSP100BC      |

30mm compensating wall profile included with every Verve Side Panel  
Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

## VERVE PRO - INLINE PANELS

| SIZE<br>(mm) | CODE<br>SILVER | CODE<br>BLACK |
|--------------|----------------|---------------|
|              |                |               |
| 200          | VIL20SC        | VIL20BC       |
| 300          | VIL30SC        | VIL30BC       |
| 400          | VIL40SC        | VIL40BC       |
| 500          | VIL50SC        | VIL50BC       |

## VERVE PRO - PROFILE EXTENSION

| DESCRIPTION                    | CODE<br>SILVER | CODE<br>BLACK |
|--------------------------------|----------------|---------------|
|                                |                |               |
| 30mm Compensating Wall Profile | VCB30SC        | VCB30BC       |



EXCEPTIONAL  
EVERYDAY.

BIFOLD DOOR IN ALCOVE - MATE BLACK

VERVE PRO  
CORNER ENTRY

CLICK FIT  
PRO

FINISHES:

SILVER

MATTE BLACK



QUICK RELEASE  
CHROME DOUBLE  
WHEEL ROLLERS



CORNER ENTRY -  
SILVER

VERVE PRO - CORNER ENTRY

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | ACCESS<br>(mm) | CODE<br>SILVER | CODE<br>BLACK |
|--------------|-----------------|----------|----------------|----------------|---------------|
|              | MIN (mm)        | MAX (mm) |                |                |               |
| 700          | 670             | 695      | 340            | VCE70SSC       | —             |
| 760          | 730             | 755      | 382            | VCE76SSC       | —             |
| 800          | 770             | 795      | 410            | VCE80SSC       | VCE80SBC      |
| 900          | 870             | 895      | 481            | VCE90SSC       | VCE90SBC      |
| 1000         | 970             | 995      | 551            | VCE100SSC      | —             |



EXCEPTIONAL  
EVERYDAY.

CORNER ENTRY - MATTE BLACK

# VERVE PRO PIVOT DOOR

FINISHES:

- SILVER
- MATTE BLACK



PIVOT DOOR WITH INLINE PANEL CLOSING  
ONTO SEMI FRAMED SIDE PANEL - SILVER

## VERVE PRO - PIVOT DOOR

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | ACCESS<br>(mm) | CODE<br>SILVER | CODE<br>BLACK |
|--------------|-----------------|----------|----------------|----------------|---------------|
|              | MIN (mm)        | MAX (mm) |                |                |               |
| 700          | 650             | 700      | 417            | VPD70SC        | —             |
| 760          | 710             | 760      | 477            | VPD76SC        | —             |
| 800          | 750             | 800      | 517            | VPD80SC        | VPD80BC       |
| 900          | 850             | 900      | 617            | VPD90SC        | VPD90BC       |
| 1000         | 950             | 1000     | 717            | VPD100SC       | VPD100BC      |

## VERVE PRO - SEMI FRAMED SIDE PANELS

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | CODE<br>SILVER | CODE<br>BLACK |
|--------------|-----------------|----------|----------------|---------------|
|              | MIN (mm)        | MAX (mm) |                |               |
| 700          | 670             | 695      | VSP70SC        | VSP70BC       |
| 760          | 730             | 755      | VSP76SC        | VSP76BC       |
| 800          | 770             | 795      | VSP80SC        | VSP80BC       |
| 900          | 870             | 895      | VSP90SC        | VSP90BC       |
| 1000         | 970             | 995      | VSP100SC       | VSP100BC      |

30mm compensating wall profile included with every Verve Side Panel  
Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

## VERVE PRO - INLINE PANELS

| SIZE<br>(mm) | CODE<br>SILVER | CODE<br>BLACK |
|--------------|----------------|---------------|
| 200          | VIL20SC        | VIL20BC       |
| 300          | VIL30SC        | VIL30BC       |
| 400          | VIL40SC        | VIL40BC       |
| 500          | VIL50SC        | VIL50BC       |

## VERVE PRO - PROFILE EXTENSION

| DESCRIPTION                    | CODE<br>SILVER | CODE<br>BLACK |
|--------------------------------|----------------|---------------|
| 30mm Compensating Wall Profile | VCB30SC        | VCB30BC       |



EXCEPTIONAL  
EVERYDAY.

PIVOT DOOR WITH SEMI FRAMED  
SIDE PANEL - MATTE BLACK



# VERVE PRO WETROOMS

Choose a Verve PRO wetroom for a luxurious walk-in shower experience. These versatile screens are suitable for shower tray or wetroom floor application.

Verve PRO wetroom panels are constructed from 8mm toughened safety glass and offer superb quality.

## FINISHES:



# VERVE PRO

## WETROOM SCREENS

FINISHES:

- SILVER
- MATTE BLACK
- BRUSHED BRASS

KEY FEATURES

8mm

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

CLEARVUE

GLASS COATING

UP TO 15mm

PRODUCT ADJUSTMENT

1m CHROME

STABILISING BAR INCLUDED

SUITABLE FOR

SHOWER TRAY OR WETROOM FLOOR APPLICATION



WETROOM WITH ROTATING PANEL & T-PIECE STABILISING BAR - MATTE BLACK

VERVE PRO - WETROOMS

| SIZE (mm) | ADJUSTMENT SIZE MIN (mm) MAX (mm) |      | CODE SILVER | CODE BLACK | CODE BRUSHED BRASS |
|-----------|-----------------------------------|------|-------------|------------|--------------------|
| 600       | 575                               | 590  | RWR60SCV    | RWR60BCV   | RWR60BRBCV         |
| 700       | 675                               | 690  | RWR70SCV    | RWR70BCV   | RWR70BRBCV         |
| 800       | 775                               | 790  | RWR80SCV    | RWR80BCV   | RWR80BRBCV         |
| 900       | 875                               | 890  | RWR90SCV    | RWR90BCV   | RWR90BRBCV         |
| 1000      | 975                               | 990  | RWR100SCV   | RWR100BCV  | RWR100BRBCV        |
| 1100      | 1075                              | 1090 | RWR110SCV   | RWR110BCV  | RWR110BRBCV        |
| 1200      | 1175                              | 1190 | RWR120SCV   | RWR120BCV  | RWR120BRBCV        |
| 1400      | 1375                              | 1390 | RWR140SCV   | RWR140BCV  | RWR140BRBCV        |

30mm compensating wall profile included with every Verve Side Panel  
Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

VERVE PRO - ROTATING WETROOM PANELS

| SIZE (mm) | ADJUSTMENT SIZE MIN (mm) MAX (mm) |     | CODE SILVER | CODE BLACK | CODE BRUSHED BRASS |
|-----------|-----------------------------------|-----|-------------|------------|--------------------|
| 300       | 675                               | 690 | RRP30SCV    | RRP30BCV   | RRP30BRBCV         |
| 400       | 775                               | 790 | RRP40SCV    | RRP40BCV   | RRP40BRBCV         |

Please Note - Rotating wetroom panel sold separately.

VERVE PRO - T-PIECE STABILISING BAR

| DESCRIPTION | CODE SILVER | CODE BLACK | CODE BRUSHED BRASS |
|-------------|-------------|------------|--------------------|
| T-Piece     | S-RWRTS     | S-RWRTBLK  | S-RWRTBRB          |

Purchased separately if fitted with a side panel.



EXCEPTIONAL  
EVERYDAY.

WETROOM WITH T-PIECE STABILISING BAR - BRUSHED BRASS



# VERVE PRO BATHSCREENS

Featuring a versatile collection of 8mm and 6mm screens, Verve PRO bathscreens are each crafted to deliver exceptional durability and performance, our collection offers multiple styles to suit modern and classic spaces - something for every design preference.

## FINISHES:

SILVER MATTE BLACK BRUSHED BRASS BRUSHED NICKEL



# VERVE PRO 8

## 8MM BATHSCREENS

FINISHES:

- SILVER
- MATTE BLACK
- BRUSHED BRASS
- BRUSHED NICKEL




8MM 2 PANEL BATHSCREEN (1 FIXED PANEL / 1 ROTATING PANEL - SQUARE EDGE) - MATTE BLACK

### VERVE PRO - 8MM BATHSCREENS

| DESCRIPTION                                                           | HEIGHT<br>MIN (mm) | WIDTH<br>MAX (mm) | COLOUR         | CODE       |
|-----------------------------------------------------------------------|--------------------|-------------------|----------------|------------|
| 8mm 2 Panel Bathscreen - 1 Fixed Panel / Rotating Panel - Square Edge | 1500               | 900               | Silver         | VBSI3SC    |
| 8mm 2 Panel Bathscreen - 1 Fixed Panel / Rotating Panel - Square Edge | 1500               | 900               | Matte Black    | VBSI3BC    |
| 8mm 2 Panel Bathscreen - 1 Fixed Panel / Rotating Panel - Square Edge | 1500               | 900               | Brushed Brass  | VBSI3BRBC  |
| 8mm 2 Panel Bathscreen - 1 Fixed Panel / Rotating Panel - Square Edge | 1500               | 900               | Brushed Nickel | VBSI3BRNC* |

\*Available July 2025

#### KEY FEATURES



IMPORTANT NOTE:  
- These Bathscreens are a water deflector and splash proof only.  
- It is advised that all Bathscreens are fitted to the inside edge of the bath to ensure maximum effectiveness.

### NEW BRUSHED NICKEL FINISH



DESIGNED FOR  
EVERYDAY LUXURY.

8MM 2 PANEL BATHSCREEN (1 FIXED PANEL / 1 ROTATING PANEL - SQUARE EDGE) - BRUSHED NICKEL

# VERVE PRO

## 6MM CURVED BATHSCREENS

FINISHES:

- SILVER
- MATTE BLACK
- BRUSHED BRASS



6MM SAIL BATHSCREEN  
WITH TOWEL RAIL - VBS12SC



6MM 1 FIXED & 1 ROTATING PANEL  
CURVED EDGE - VBS7SC




6MM ROTATING BATHSCREEN  
CURVED EDGE WITH TOWEL RAIL - VBS3SC

### VERVE PRO - CURVED BATHSCREENS

| DESCRIPTION                                           | HEIGHT<br>MIN (mm) | WIDTH<br>MAX (mm) | COLOUR        | CODE     |
|-------------------------------------------------------|--------------------|-------------------|---------------|----------|
| 6mm Rotating Bathscreen - Curved Edge                 | 1400               | 800               | Silver        | VBS1SC   |
| 6mm Rotating Bathscreen - Curved Edge                 | 1400               | 800               | Matte Black   | VBS1BC   |
| 6mm Rotating Bathscreen - Curved Edge                 | 1400               | 800               | Brushed Brass | VBS1BRBC |
| 6mm Rotating Bathscreen - Curved Edge with Towel Rail | 1500               | 800               | Silver        | VBS3SC*  |
| 6mm 1 Fixed & 1 Rotating Panel - Curved Edge          | 1500               | 900               | Silver        | VBS7SC   |
| 6mm Sail Bathscreen with Towel Rail                   | 1500               | 800               | Silver        | VBS12SC* |

\*While stocks last

### KEY FEATURES



### IMPORTANT NOTE:

- These Bathscreens are a water deflector and splash proof only.
- It is advised that all Bathscreens are fitted to the inside edge of the bath to ensure maximum effectiveness.



EXCEPTIONAL  
EVERYDAY.

6MM ROTATING BATHSCREEN  
CURVED EDGE - MATTE BLACK

# VERVE PRO

## 6MM SQUARE BATHSCREENS

FINISHES:

- SILVER
- BRUSHED BRASS



6MM 2 PANEL BATHSCREEN - 1 FIXED & 1 ROTATING PANEL - VBS8SC



6MM FIXED BATHSCREEN DEFLECTOR 300MM - VBSG30SC



6MM FIXED BATHSCREEN WITH CHROME ANGLED SUPPORT BAR - VBS10SC

### VERVE PRO - SQUARE BATHSCREENS

| DESCRIPTION                                                | HEIGHT MIN (mm) | WIDTH MAX (mm) | COLOUR        | CODE     |
|------------------------------------------------------------|-----------------|----------------|---------------|----------|
| 6mm 2 Panel Bathscreen - 1 Fixed & 1 Rotating Panel        | 1500            | 900            | Silver        | VBS8SC   |
| 6mm Rotating Bathscreen - Square Edge                      | 1400            | 800            | Silver        | VBS2SC   |
| 6mm Rotating Bathscreen - Square Edge                      | 1400            | 800            | Brushed Brass | VBS2BRBC |
| 6mm Fixed Bathscreen with <i>Chrome Angled Support Bar</i> | 1400            | 850            | Silver        | VBS10SC  |
| 6mm Fixed Bathscreen Deflector 300mm                       | 1500            | 300            | Silver        | VBSG30SC |

### KEY FEATURES



### IMPORTANT NOTE:

- These Bathscreens are a water deflector and splash proof only.
- It is advised that all Bathscreens are fitted to the inside edge of the bath to ensure maximum effectiveness.



EXCEPTIONAL  
EVERYDAY.

6MM ROTATING BATHSCREEN (SQUARE EDGE)

EXCEPTIONAL  
EVERYDAY.



# SLIMLINE TELESCOPIC

Slimline Telescopic is the ultimate solution to making installation simple. With a selection of doors that boasts a total adjustment of up to 100mm, Slimline Telescopic offers flexibility with adjustable wall profiles allowing the shower enclosure to fit perfectly even when the walls are not completely plum.

With adjustable wall profiles for a perfect fit and a silent roller mechanism for smooth, quiet operation, the collection is a dependable, and the hassle-free solution.

## FINISHES:

SILVER

## KEY FEATURES:

|                                                         |                                                               |                                             |                                                |
|---------------------------------------------------------|---------------------------------------------------------------|---------------------------------------------|------------------------------------------------|
| <b>6mm</b><br>TOUGHENED<br>SAFETY GLASS                 | <b>1950mm</b><br>HEIGHT                                       | <b>UP TO 100mm</b><br>PRODUCT<br>ADJUSTMENT |                                                |
| <br>PATENTED<br>TWIST + LOCK<br>ADJUSTMENT<br>MECHANISM | <br>25mm WALL<br>PROFILE<br>EXTENSION<br>AVAILABLE            | <br>CLEAN EASY<br>GLASS<br>COATING          | <br>INNOVATIVE<br>SILENT WHEEL<br>TRACK SYSTEM |
| <br>SPARE PARTS<br>AVAILABLE                            | <br>REVERSIBLE FOR<br>LEFT OR RIGHT<br>HANDED<br>INSTALLATION | <br>20 YEAR<br>GUARANTEE                    |                                                |

# SLIMLINE TELESCOPIC PIVOT DOOR

FINISHES:

SILVER



UP TO  
100 mm  
PRODUCT ADJUSTMENT

## SLIMLINE TELESCOPIC - PIVOT DOOR

| SIZE (mm) | ADJUSTMENT SIZE |          | ACCESS (mm) | CODE<br>SILVER |
|-----------|-----------------|----------|-------------|----------------|
|           | MIN (mm)        | MAX (mm) |             |                |
| 800       | 700             | 800      | 422         | STPD80SC       |
| 900       | 800             | 900      | 522         | STPD90SC       |
| 1000      | 900             | 1000     | 622         | STPD100SC      |
| 1200      | 1100            | 1200     | 622         | STPD120SC      |

## SLIMLINE TELESCOPIC - SEMI FRAMED SIDE PANELS

| SIZE (mm) | ADJUSTMENT SIZE |          | CODE<br>SILVER |
|-----------|-----------------|----------|----------------|
|           | MIN (mm)        | MAX (mm) |                |
| 700       | 670             | 690      | STSP70SC       |
| 760       | 730             | 750      | STSP76SC       |
| 800       | 770             | 790      | STSP80SC       |
| 900       | 870             | 890      | STSP90SC       |
| 1000      | 970             | 990      | STSP100SC      |
| 1100      | 1070            | 1090     | STSP110SC      |
| 1200      | 1170            | 1190     | STSP120SC      |

## SLIMLINE TELESCOPIC - PROFILE EXTENSION

| DESCRIPTION                    | CODE<br>SILVER |
|--------------------------------|----------------|
| 25mm Compensating Wall Profile | STPACKDSC      |



SLEEK POLISHED  
CHROME HANDLES



MINIMALIST CHROME  
PROFILES AND PIVOT HINGE



EXCEPTIONAL  
EVERYDAY.

PIVOT DOOR WITH  
SEMI FRAMED SIDE PANEL - SILVER

# SLIMLINE TELESCOPIC SLIDING DOOR

FINISHES:  
SILVER



## SLIMLINE TELESCOPIC - SLIDING DOOR

| SIZE (mm) | ADJUSTMENT SIZE |          | ACCESS (mm) | CODE      |
|-----------|-----------------|----------|-------------|-----------|
|           | MIN (mm)        | MAX (mm) |             | SILVER    |
| 1000      | 940             | 1000     | 378         | STSA100SC |
| 1100      | 1040            | 1100     | 428         | STSA110SC |
| 1200      | 1140            | 1200     | 478         | STSA120SC |
| 1300      | 1200            | 1300     | 488         | STSA130SC |
| 1400      | 1300            | 1400     | 538         | STSA140SC |
| 1500      | 1400            | 1500     | 588         | STSA150SC |

## SLIMLINE TELESCOPIC - SEMI FRAMED SIDE PANELS

| SIZE (mm) | ADJUSTMENT SIZE |          | CODE      |
|-----------|-----------------|----------|-----------|
|           | MIN (mm)        | MAX (mm) | SILVER    |
| 700       | 670             | 690      | STSP70SC  |
| 760       | 730             | 750      | STSP76SC  |
| 800       | 770             | 790      | STSP80SC  |
| 900       | 870             | 890      | STSP90SC  |
| 1000      | 970             | 990      | STSP100SC |
| 1100      | 1070            | 1090     | STSP110SC |
| 1200      | 1170            | 1190     | STSP120SC |

## SLIMLINE TELESCOPIC - PROFILE EXTENSION

| DESCRIPTION                    | CODE      |
|--------------------------------|-----------|
|                                | SILVER    |
| 25mm Compensating Wall Profile | STPACKDSC |



QUICK RELEASE  
DOUBLE ROLLERS



SLEEK  
POLISHED  
CHROME  
HANDLES



EXCEPTIONAL  
EVERYDAY.

SLIDING DOOR IN ALCOVE - SILVER

# SLIMLINE TELESCOPIC BIFOLD DOOR

FINISHES:  
SILVER



## SLIMLINE TELESCOPIC - BIFOLD DOOR

| SIZE (mm) | ADJUSTMENT SIZE<br>MIN (mm) MAX (mm) |      | ACCESS (mm) | CODE<br>SILVER |
|-----------|--------------------------------------|------|-------------|----------------|
| 700       | 630                                  | 700  | 358         | STBF70SC       |
| 800       | 730                                  | 800  | 428         | STBF80SC       |
| 900       | 800                                  | 900  | 498         | STBF90SC       |
| 1000      | 900                                  | 1000 | 578         | STBF100SC      |
| 1100      | 1000                                 | 1100 | 578         | STBF110SC      |
| 1200      | 1100                                 | 1200 | 578         | STBF120SC      |

## SLIMLINE TELESCOPIC - SEMI FRAMED SIDE PANELS

| SIZE (mm) | ADJUSTMENT SIZE<br>MIN (mm) MAX (mm) |      | CODE<br>SILVER |
|-----------|--------------------------------------|------|----------------|
| 700       | 670                                  | 690  | STSP70SC       |
| 760       | 730                                  | 750  | STSP76SC       |
| 800       | 770                                  | 790  | STSP80SC       |
| 900       | 870                                  | 890  | STSP90SC       |
| 1000      | 970                                  | 990  | STSP100SC      |
| 1100      | 1070                                 | 1090 | STSP110SC      |
| 1200      | 1170                                 | 1190 | STSP120SC      |

## SLIMLINE TELESCOPIC - PROFILE EXTENSION

| DESCRIPTION                    | CODE<br>SILVER |
|--------------------------------|----------------|
| 25mm Compensating Wall Profile | STPACKDSC      |



SLEEK POLISHED  
CHROME HANDLES



BIFOLD  
HINGE



EXCEPTIONAL  
EVERYDAY.

BIFOLD DOOR WITH  
SEMI FRAMED SIDE PANEL - SILVER



**failsafe**  
TECHNOLOGY  
SECURE GLASS SYSTEM



Frameless Six delivers an affordable 6mm glass solution without compromising on quality. Featuring a rising-butt hinge, it ensures smooth opening and closing while preventing seals from dragging or wearing against the floor – perfect for long-term durability.

This cleverly designed collection is suitable for both wetroom and shower tray application.

## FINISHES:

SILVER

MATTE BLACK

## KEY FEATURES

6mm

TOUGHENED  
SAFETY GLASS



**1950mm**  
HEIGHT

UP TO  
**50mm**

## PRODUCT ADJUSTMENT



**SILVER & MATTE  
BLACK OPTIONS  
AVAILABLE**  
SELECTED DOOR STYLES

  
UP TO 25mm  
WALL PROFILE  
EXTENSION  
AVAILABLE



CLEAN EASY  
GLASS  
COATING

**↑↓**  
**RISE BUTT  
HINGE  
MECHANISM  
FOR SMOOTH  
MOVEMENT**



SPARE PARTS  
AVAILABLE

 REVERSIBLE FOR  
LEFT OR RIGHT  
HANDED  
INSTALLATION



EASY ACCESS  
SOLUTION



20 YEAR  
GUARANTEE

# FRAMELESS SIX SALOON DOOR

FINISHES:

- SILVER
- MATT BLACK



SALOON DOOR IN  
ALCOVE - SILVER

## FRAMELESS SIX - SALOON DOOR

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | ACCESS<br>(mm) | CODE      | CODE      |
|--------------|-----------------|----------|----------------|-----------|-----------|
|              | MIN (mm)        | MAX (mm) |                | SILVER    | BLACK     |
| 800          | 750             | 800      | 594            | FFSD80SC  | FFSD80BC  |
| 900          | 850             | 900      | 694            | FFSD90SC  | FFSD90BC  |
| 1000         | 950             | 1000     | 794            | FFSD100SC | FFSD100BC |
| 1200         | 1150            | 1200     | 994            | FFSD120SC | FFSD120BC |

## FRAMELESS SIX - SEMI FRAMED SIDE PANELS

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | CODE      | CODE      |
|--------------|-----------------|----------|-----------|-----------|
|              | MIN (mm)        | MAX (mm) | SILVER    | BLACK     |
| 700          | 665             | 690      | FFSP70SC  | FFSP70BC  |
| 760          | 725             | 750      | FFSP76SC  | —         |
| 800          | 765             | 790      | FFSP80SC  | FFSP80BC  |
| 900          | 865             | 890      | FFSP90SC  | FFSP90BC  |
| 1000         | 965             | 990      | FFSP100SC | FFSP100BC |
| 1200         | 1165            | 1190     | FFSP120SC | FFSP120BC |

## FRAMELESS SIX - INLINE PANELS

| SIZE<br>(mm) | CODE     | CODE     |
|--------------|----------|----------|
|              | SILVER   | BLACK    |
| 200          | FFIL20SC | FFIL20BC |
| 300          | FFIL30SC | FFIL30BC |
| 400          | FFIL40SC | FFIL40BC |

## FRAMELESS SIX - PROFILE EXTENSION

| DESCRIPTION                    | CODE     | CODE     |
|--------------------------------|----------|----------|
|                                | SILVER   | BLACK    |
| 10mm Compensating Wall Profile | FFCB10SC | FFCB10BG |
| 25mm Compensating Wall Profile | FFCB25SC | FFCB25BG |



SALOON DOOR  
IN ALCOVE - BLACK

FRAMELESS SIX  
PIVOT DOOR

FINISHES:

- SILVER
- MATT BLACK



PIVOT DOOR WITH SEMI FRAMED  
SIDE PANEL - SILVER

FRAMELESS SIX - PIVOT DOOR

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | ACCESS<br>(mm) | CODE      | CODE      |
|--------------|-----------------|----------|----------------|-----------|-----------|
|              | MIN (mm)        | MAX (mm) |                | SILVER    | BLACK     |
| 700          | 650             | 700      | 513            | FFPD70SC  | FFPD70BC  |
| 800          | 750             | 800      | 613            | FFPD80SC  | FFPD80BC  |
| 900          | 850             | 900      | 713            | FFPD90SC  | FFPD90BC  |
| 1000         | 950             | 1000     | 813            | FFPD100SC | FFPD100BC |

FRAMELESS SIX - SEMI FRAMED SIDE PANELS

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | CODE      | CODE      |
|--------------|-----------------|----------|-----------|-----------|
|              | MIN (mm)        | MAX (mm) | SILVER    | BLACK     |
| 700          | 665             | 690      | FFSP70SC  | FFSP70BC  |
| 760          | 725             | 750      | FFSP76SC  | —         |
| 800          | 765             | 790      | FFSP80SC  | FFSP80BC  |
| 900          | 865             | 890      | FFSP90SC  | FFSP90BC  |
| 1000         | 965             | 990      | FFSP100SC | FFSP100BC |
| 1200         | 1165            | 1190     | FFSP120SC | FFSP120BC |

FRAMELESS SIX - INLINE PANELS

| SIZE<br>(mm) | CODE     | CODE     |
|--------------|----------|----------|
|              | SILVER   | BLACK    |
| 200          | FFIL20SC | FFIL20BC |
| 300          | FFIL30SC | FFIL30BC |
| 400          | FFIL40SC | FFIL40BC |

FRAMELESS SIX - PROFILE EXTENSION

| DESCRIPTION                    | CODE     | CODE     |
|--------------------------------|----------|----------|
|                                | SILVER   | BLACK    |
| 10mm Compensating Wall Profile | FFCB10SC | FFCB10BG |
| 25mm Compensating Wall Profile | FFCB25SC | FFCB10BG |



PIVOT DOOR IN ALCOVE - BLACK

# FRAMELESS SIX CORNER PIVOT DOOR

FINISHES:

SILVER



SLEEK POLISHED  
CHROME HANDLES

## FRAMELESS SIX - CORNER PIVOT DOOR

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | ACCESS<br>(mm) | CODE<br>SILVER |
|--------------|-----------------|----------|----------------|----------------|
|              | MIN (mm)        | MAX (mm) |                |                |
| 800          | 765             | 790      | 935            | FFCPD80SC      |
| 900          | 865             | 890      | 1076           | FFCPD90SC      |
| 1000         | 965             | 990      | 1217           | FFCPD100SC     |



CORNER PIVOT DOOR - SILVER

FRAMELESS SIX  
HINGED ROTATING  
WETROOM PANEL

FINISHES:

SILVER



FRAMELESS SIX - HINGED ROTATING WETROOM PANEL

| SIZE<br>(mm) | ADJUSTMENT SIZE |          | CODE     |
|--------------|-----------------|----------|----------|
|              | MIN (mm)        | MAX (mm) |          |
| 300          | 300             | 325      | FFPD30SC |
| 450          | 450             | 475      | FFPD45SC |
| 600          | 600             | 625      | FFPD60SC |



HINGED ROTATING  
WETROOM PANEL - SILVER

EXCEPTIONAL  
EVERYDAY.

# TRAYS

Extensive selection of shower tray shapes and sizes to complement your bathroom.

### SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive. Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting.

Fitting of Shower Tray is acceptance of quality.

### KEY FEATURES

|                                                                                                                                           |                                                                                                                            |                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <br><b>40mm</b><br>HEIGHT                            | <br>SLEEK<br>LOW PROFILE<br>DESIGN    | <br>SUITABLE FOR<br>CONVERSION<br>TO EASY<br>PLUMB TRAY |
| <br>SUITABLE FOR<br>CONVERSION<br>TO UPSTAND<br>TRAY | <br><b>90mm</b><br>HIGH FLOW<br>WASTE | <b>EASY<br/>CLEAN</b><br>FILTER TRAP                                                                                                         |

# SLIMLINE SHOWER TRAYS

Extensive selection of shower tray shapes and sizes to complement your bathroom.

- Strong and rigid construction
- Manufactured to British Standard BS6340/5
- Tough high gloss ABS acrylic capped surface finish
- Easy-to-clean and maintain

**SHOWER TRAY INSTALLATION**  
All shower trays must be installed as per instructions supplied. Please note: Silicone sealants, foams, mastics, installation compound adhesive etc. must not be used as a substitute for cement. Ensure shower tray is installed 100% level and water test to ensure it is draining correctly. Fitting of Shower Tray is acceptance of quality.

**40mm**  
HEIGHT

SLEEK  
LOW PROFILE  
DESIGN

**90mm**  
HIGH FLOW  
WASTE

**EASY  
CLEAN**  
FILTER TRAP

SUITABLE FOR  
CONVERSION  
TO EASY  
PLUMB TRAY



## SLIMLINE RECTANGLE

| DESCRIPTION                           | CODE       |
|---------------------------------------|------------|
| 800 x 700mm Slimline Rectangle Tray   | TSL8070R   |
| 900 x 700mm Slimline Rectangle Tray   | TSL9070R   |
| 900 x 760mm Slimline Rectangle Tray   | TSL9076R   |
| 900 x 800mm Slimline Rectangle Tray   | TSL9080R   |
| 1000 x 700mm Slimline Rectangle Tray  | TSL10070R  |
| 1000 x 760mm Slimline Rectangle Tray  | TSL10076R  |
| 1000 x 800mm Slimline Rectangle Tray  | TSL10080R  |
| 1000 x 900mm Slimline Rectangle Tray  | TSL10090R  |
| 1100 x 700mm Slimline Rectangle Tray  | TSL11070R  |
| 1100 x 760mm Slimline Rectangle Tray  | TSL11076R  |
| 1100 x 800mm Slimline Rectangle Tray  | TSL11080R  |
| 1100 x 900mm Slimline Rectangle Tray  | TSL11090R  |
| 1200 x 700mm Slimline Rectangle Tray  | TSL12070R  |
| 1200 x 760mm Slimline Rectangle Tray  | TSL12076R  |
| 1200 x 800mm Slimline Rectangle Tray  | TSL12080R  |
| 1200 x 900mm Slimline Rectangle Tray  | TSL12090R  |
| 1200 x 1000mm Slimline Rectangle Tray | TSL120100R |
| 1300 x 800mm Slimline Rectangle Tray  | TSL13080R  |
| 1300 x 900mm Slimline Rectangle Tray  | TSL13090R  |
| 1400 x 700mm Slimline Rectangle Tray  | TSL14070R  |
| 1400 x 800mm Slimline Rectangle Tray  | TSL14080R  |
| 1400 x 900mm Slimline Rectangle Tray  | TSL14090R  |
| 1500 x 700mm Slimline Rectangle Tray  | TSL15070R  |
| 1500 x 760mm Slimline Rectangle Tray  | TSL15076R  |
| 1500 x 800mm Slimline Rectangle Tray  | TSL15080R  |
| 1500 x 900mm Slimline Rectangle Tray  | TSL15090R  |
| 1600 x 700mm Slimline Rectangle Tray  | TSL16070R  |
| 1600 x 800mm Slimline Rectangle Tray  | TSL16080R  |
| 1600 x 900mm Slimline Rectangle Tray  | TSL16090R  |
| 1700 x 700mm Slimline Rectangle Tray  | TSL17070R  |
| 1700 x 750mm Slimline Rectangle Tray  | TSL17075R  |
| 1700 x 800mm Slimline Rectangle Tray  | TSL17080R  |
| 1700 x 900mm Slimline Rectangle Tray  | TSL17090R  |
| 1800 x 800mm Slimline Rectangle Tray  | TSL18080R  |
| 1800 x 900mm Slimline Rectangle Tray  | TSL18090R  |
| 2000 x 900mm Slimline Rectangle Tray  | TSL20090R  |

## SLIMLINE SQUARE

| DESCRIPTION                        | CODE    |
|------------------------------------|---------|
| 700 x 700mm Slimline Square Tray   | TSL70S  |
| 760 x 760mm Slimline Square Tray   | TSL76S  |
| 800 x 800mm Slimline Square Tray   | TSL80S  |
| 900 x 900mm Slimline Square Tray   | TSL90S  |
| 1000 x 1000mm Slimline Square Tray | TSL100S |
| 1200 x 1200mm Slimline Square Tray | TSL120S |

## SLIMLINE QUADRANT

| DESCRIPTION                        | CODE   |
|------------------------------------|--------|
| 800 x 800mm Slimline Quadrant Tray | TSL80Q |
| 900 x 900mm Slimline Quadrant Tray | TSL90Q |

## SLIMLINE OFFSET QUADRANT

| DESCRIPTION                               | CODE        |
|-------------------------------------------|-------------|
| 900 x 760mm Offset Quadrant Tray - Left   | TSL9076LOQ  |
| 900 x 760mm Offset Quadrant Tray - Right  | TSL9076ROQ  |
| 900 x 800mm Offset Quadrant Tray - Left   | TSL9080LOQ  |
| 900 x 800mm Offset Quadrant Tray - Right  | TSL9080ROQ  |
| 1000 x 800mm Offset Quadrant Tray - Left  | TSL10080LOQ |
| 1000 x 800mm Offset Quadrant Tray - Right | TSL10080ROQ |
| 1000 x 900mm Offset Quadrant Tray - Left  | TSL10090LOQ |
| 1000 x 900mm Offset Quadrant Tray - Right | TSL10090ROQ |
| 1100 x 800mm Offset Quadrant Tray - Left  | TSL11080LOQ |
| 1100 x 800mm Offset Quadrant Tray - Right | TSL11080ROQ |
| 1100 x 900mm Offset Quadrant Tray - Left  | TSL11090LOQ |
| 1100 x 900mm Offset Quadrant Tray - Right | TSL11090ROQ |
| 1200 x 800mm Offset Quadrant Tray - Left  | TSL12080LOQ |
| 1200 x 800mm Offset Quadrant Tray - Right | TSL12080ROQ |
| 1200 x 900mm Offset Quadrant Tray - Left  | TSL12090LOQ |
| 1200 x 900mm Offset Quadrant Tray - Right | TSL12090ROQ |

## SLIMLINE CORNER SHOWER TRAY WASTES

| DESCRIPTION                                         | CODE       |
|-----------------------------------------------------|------------|
| 800 x 800mm Slimline Quadrant Tray - Corner Waste   | CTSL80Q    |
| 900 x 900mm Slimline Quadrant Tray - Corner Waste   | CTSL90Q    |
| 1000 x 1000mm Slimline Quadrant Tray - Corner Waste | CTSL100Q   |
| 800 x 800mm Slimline Square Tray - Corner Waste     | CTSL80S    |
| 900 x 900mm Slimline Square Tray - Corner Waste     | CTSL90S    |
| 1000 x 1000mm Slimline Square Tray - Corner Waste   | CTSL100S   |
| 900 x 800mm Slimline Rectangle Tray - Corner Waste  | CTSL9080R  |
| 1000 x 800mm Slimline Rectangle Tray - Corner Waste | CTSL10080R |
| 1200 x 800mm Slimline Rectangle Tray - Corner Waste | CTSL12080R |
| 1200 x 900mm Slimline Rectangle Tray - Corner Waste | CTSL12090R |



SLIMLINE RECTANGLE TRAY  
INCLUDING SHOWER WASTE




SLIMLINE SQUARE TRAY  
INCLUDING SHOWER WASTE



SLIMLINE QUADRANT TRAY  
INCLUDING SHOWER WASTE



SLIMLINE OFFSET QUADRANT TRAY  
INCLUDING SHOWER WASTE  
(right hand illustrated)



OFFSET  
QUADRANT  
LEFT HAND

OFFSET  
QUADRANT  
RIGHT HAND

**NOTE:** It is normal for a small amount of localised water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.

# ANTI-SLIP SHOWER TRAYS

**NOTE:** It is normal for a small amount of localised water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.

## ANTI-SLIP SLIMLINE RECTANGLE

| DESCRIPTION                                    | CODE        |
|------------------------------------------------|-------------|
| Anti-Slip Slimline Rectangle Tray 1000 x 800mm | ASTSL10080R |
| Anti-Slip Slimline Rectangle Tray 1000 x 900mm | ASTSL10090R |
| Anti-Slip Slimline Rectangle Tray 1100 x 800mm | ASTSL11080R |
| Anti-Slip Slimline Rectangle Tray 1100 x 900mm | ASTSL11090R |
| Anti-Slip Slimline Rectangle Tray 1200 x 700mm | ASTSL12070R |
| Anti-Slip Slimline Rectangle Tray 1200 x 760mm | ASTSL12076R |
| Anti-Slip Slimline Rectangle Tray 1200 x 800mm | ASTSL12080R |
| Anti-Slip Slimline Rectangle Tray 1200 x 900mm | ASTSL12090R |
| Anti-Slip Slimline Rectangle Tray 1400 x 700mm | ASTSL14070R |
| Anti-Slip Slimline Rectangle Tray 1400 x 800mm | ASTSL14080R |
| Anti-Slip Slimline Rectangle Tray 1400 x 900mm | ASTSL14090R |
| Anti-Slip Slimline Rectangle Tray 1500 x 700mm | ASTSL15070R |
| Anti-Slip Slimline Rectangle Tray 1500 x 800mm | ASTSL15080R |
| Anti-Slip Slimline Rectangle Tray 1500 x 900mm | ASTSL15090R |
| Anti-Slip Slimline Rectangle Tray 1600 x 700mm | ASTSL16070R |
| Anti-Slip Slimline Rectangle Tray 1600 x 800mm | ASTSL16080R |
| Anti-Slip Slimline Rectangle Tray 1600 x 900mm | ASTSL16090R |
| Anti-Slip Slimline Rectangle Tray 1700 x 700mm | ASTSL17070R |
| Anti-Slip Slimline Rectangle Tray 1700 x 800mm | ASTSL17080R |
| Anti-Slip Slimline Rectangle Tray 1700 x 900mm | ASTSL17090R |

- Anti-slip coating for extra safety in the showering space
- Pendulum slip tested, in accordance with British Standard BS7976:2
- Classified as low slip potential



**SHOWER TRAY INSTALLATION**  
All shower trays must be installed as per instructions supplied. Please note: Silicone sealants, foams, mastics, installation compound adhesive etc. must not be used as a substitute for cement. Ensure shower tray is installed 100% level and water test to ensure it is draining correctly. Fitting of Shower Tray is acceptance of quality.

## ANTI-SLIP SLIMLINE SQUARE

| DESCRIPTION                           | CODE      |
|---------------------------------------|-----------|
| Anti-Slip Slimline Square Tray 800mm  | ASTSL80S  |
| Anti-Slip Slimline Square Tray 900mm  | ASTSL90S  |
| Anti-Slip Slimline Square Tray 1000mm | ASTSL100S |

## ANTI-SLIP SLIMLINE QUADRANT

| DESCRIPTION                             | CODE      |
|-----------------------------------------|-----------|
| Anti-Slip Slimline Quadrant Tray 800mm  | ASTSL80Q  |
| Anti-Slip Slimline Quadrant Tray 900mm  | ASTSL90Q  |
| Anti-Slip Slimline Quadrant Tray 1000mm | ASTSL100Q |

## ANTI-SLIP OFFSET QUADRANT

| DESCRIPTION                                                  | CODE          |
|--------------------------------------------------------------|---------------|
| Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Left  | ASTSL10080LOQ |
| Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Right | ASTSL10080ROQ |
| Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Left  | ASTSL10090LOQ |
| Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Right | ASTSL10090ROQ |
| Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Left  | ASTSL12080LOQ |
| Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Right | ASTSL12080ROQ |
| Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Left  | ASTSL12090LOQ |
| Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Right | ASTSL12090ROQ |

## ANTI-SLIP SLIMLINE - TRAYS WITH CORNER WASTE

| DESCRIPTION                                         | CODE         |
|-----------------------------------------------------|--------------|
| 900 x 900mm Slimline Quadrant Tray - Corner Waste   | CASTSL90Q    |
| 1000 x 1000mm Slimline Quadrant Tray - Corner Waste | CASTSL100Q   |
| 800 x 800mm Slimline Square Tray - Corner Waste     | CASTSL80S    |
| 1000 x 1000mm Slimline Square Tray - Corner Waste   | CASTSL100S   |
| 1000 x 800mm Slimline Rectangle Tray - Corner Waste | CASTSL10080R |
| 1200 x 800mm Slimline Rectangle Tray - Corner Waste | CASTSL12080R |
| 1200 x 900mm Slimline Rectangle Tray - Corner Waste | CASTSL12090R |



RECTANGLE TRAY  
CORNER WASTE



SQUARE TRAY  
CORNER WASTE




900mm QUADRANT TRAY  
CORNER WASTE



800mm QUADRANT TRAY  
CORNER WASTE

# 25MM ULTRA SLIM SHOWER TRAYS



# 25MM ANTI-SLIP ULTRA SLIM SHOWER TRAYS

## RECTANGLE

| DESCRIPTION                                                      | CODE      |
|------------------------------------------------------------------|-----------|
| Ultra Slim Rectangle Tray 1000 x 800mm - Inc.Waste & White Grill | USLI0080R |
| Ultra Slim Rectangle Tray 1000 x 900mm - Inc.Waste & White Grill | USLI0090R |
| Ultra Slim Rectangle Tray 1200 x 800mm - Inc.Waste & White Grill | USLI2080R |
| Ultra Slim Rectangle Tray 1200 x 900mm - Inc.Waste & White Grill | USLI2090R |
| Ultra Slim Rectangle Tray 1400 x 800mm - Inc.Waste & White Grill | USLI4080R |
| Ultra Slim Rectangle Tray 1400 x 900mm - Inc.Waste & White Grill | USLI4090R |
| Ultra Slim Rectangle Tray 1500 x 800mm - Inc.Waste & White Grill | USLI5080R |
| Ultra Slim Rectangle Tray 1500 x 900mm - Inc.Waste & White Grill | USLI5090R |
| Ultra Slim Rectangle Tray 1600 x 800mm - Inc.Waste & White Grill | USLI6080R |
| Ultra Slim Rectangle Tray 1600 x 900mm - Inc.Waste & White Grill | USLI6090R |
| Ultra Slim Rectangle Tray 1700 x 800mm - Inc.Waste & White Grill | USLI7080R |
| Ultra Slim Rectangle Tray 1700 x 900mm - Inc.Waste & White Grill | USLI7090R |
| Ultra Slim Rectangle Tray 1800 x 800mm - Inc.Waste & White Grill | USLI8080R |
| Ultra Slim Rectangle Tray 1800 x 900mm - Inc.Waste & White Grill | USLI8090R |

## SQUARE

| DESCRIPTION                                                    | CODE    |
|----------------------------------------------------------------|---------|
| Ultra Slim Square Tray 800 x 800mm - Inc.Waste & White Grill   | USL80S  |
| Ultra Slim Square Tray 900 x 900mm - Inc.Waste & White Grill   | USL90S  |
| Ultra Slim Square Tray 1000 x 1000mm - Inc.Waste & White Grill | USLI00S |

## QUADRANT & OFFSET QUADRANT

| DESCRIPTION                                                                       | CODE        |
|-----------------------------------------------------------------------------------|-------------|
| Ultra Slim Quadrant Tray 800 x 800mm                                              | USL80Q      |
| Ultra Slim Quadrant Tray 900 x 900mm                                              | USL90Q      |
| Ultra Slim Offset Quadrant Tray 1000 x 800mm Left Hand - Inc.Waste & White Grill  | USLI0080LOQ |
| Ultra Slim Offset Quadrant Tray 1000 x 800mm Right Hand - Inc.Waste & White Grill | USLI0080ROQ |
| Ultra Slim Offset Quadrant Tray 1200 x 800mm Left Hand - Inc.Waste & White Grill  | USLI2080LOQ |
| Ultra Slim Offset Quadrant Tray 1200 x 800mm Right Hand - Inc.Waste & White Grill | USLI2080ROQ |
| Ultra Slim Offset Quadrant Tray 1200 x 900mm Left Hand - Inc.Waste & White Grill  | USLI2090LOQ |
| Ultra Slim Offset Quadrant Tray 1200 x 900mm Right Hand - Inc.Waste & White Grill | USLI2090ROQ |

## RECTANGLE

| DESCRIPTION                                                                | CODE       |
|----------------------------------------------------------------------------|------------|
| Anti-Slip Ultra Slim Rectangle Tray 1000 x 800mm - Inc.Waste & White Grill | AUSLI0080R |
| Anti-Slip Ultra Slim Rectangle Tray 1200 x 800mm - Inc.Waste & White Grill | AUSLI2080R |
| Anti-Slip Ultra Slim Rectangle Tray 1200 x 900mm - Inc.Waste & White Grill | AUSLI2090R |
| Anti-Slip Ultra Slim Rectangle Tray 1400 x 800mm - Inc.Waste & White Grill | AUSLI4080R |
| Anti-Slip Ultra Slim Rectangle Tray 1400 x 900mm - Inc.Waste & White Grill | AUSLI4090R |
| Anti-Slip Ultra Slim Rectangle Tray 1500 x 800mm - Inc.Waste & White Grill | AUSLI5080R |
| Anti-Slip Ultra Slim Rectangle Tray 1600 x 800mm - Inc.Waste & White Grill | AUSLI6080R |
| Anti-Slip Ultra Slim Rectangle Tray 1600 x 900mm - Inc.Waste & White Grill | AUSLI6090R |
| Anti-Slip Ultra Slim Rectangle Tray 1700 x 800mm - Inc.Waste & White Grill | AUSLI7080R |
| Anti-Slip Ultra Slim Rectangle Tray 1700 x 900mm - Inc.Waste & White Grill | AUSLI7090R |

## SQUARE

| DESCRIPTION                                                            | CODE    |
|------------------------------------------------------------------------|---------|
| Anti-Slip Ultra Slim Square Tray 900 x 900mm - Inc.Waste & White Grill | AUSL90S |

## ULTRA SLIM TRAY GRILLS

| DESCRIPTION                                                                                                                        | CODE    |
|------------------------------------------------------------------------------------------------------------------------------------|---------|
|  Ultra Slim Tray Grill - <b>Brushed Brass</b> | USLTGBB |
|  Ultra Slim Tray Grill - <b>Matte Black</b>   | USLTGMB |
|  Ultra Slim Tray Grill - <b>Chrome</b>        | USLTGC  |
|  Ultra Slim Tray Grill - <b>White</b>         | USLTGW  |



ULTRA SLIM RECTANGLE TRAY INCLUDING WASTE AND WHITE GRILL



ULTRA SLIM SQUARE TRAY INCLUDING WASTE AND WHITE GRILL



ULTRA SLIM QUADRANT TRAY INCLUDING WASTE AND WHITE GRILL



ULTRA SLIM OFFSET QUADRANT TRAY INCLUDING WASTE AND WHITE GRILL

# EASY PLUMB KIT

## SUITS ALL SLIMLINE SHOWER TRAYS

Slimline easy plumb shower kits have adjustable legs to comply with building regulations to assist in installation and for maintenance of waste outlets if required after building settlement.

The slimline easy plumb kit provides this access without compromising on style in the bathroom.

An easy plumb tray can be made by using any of the Flair slimline trays and a kit. This will increase the height of the tray by 95mm.

Accessories are not to scale - for visual representation only.



| DESCRIPTION                                                                                            | WEIGHT | CODE     |
|--------------------------------------------------------------------------------------------------------|--------|----------|
| Easy Plumb Riser Kit For All Square Trays & Rectangle Trays (Suitable for maximum tray size of 1200mm) | 2kg    | WD3      |
| Easy Plumb Riser Kit For All Quadrant Trays (Suitable for maximum tray size of 1200 x 900mm)           | 3kg    | WD4      |
| Easy Plumb Riser Kit For All Square Trays & Rectangle Trays (Suitable for maximum tray size of 2000mm) | 2kg    | WD5      |
| Viva Shower Waste                                                                                      | 1kg    | TSLWASTE |



# WASTES

## MCALPINE WASTES

| DESCRIPTION                                  | COLOUR      | CODE        |
|----------------------------------------------|-------------|-------------|
| McAlpine 90mm Shower Waste with Plastic Dome | White       | ST90WH10-70 |
| McAlpine 90mm Shower Waste with Plastic Dome | Matte Black | ST90MB10-70 |



# SHOWER TRAP WASTES

Further enhance the look of your shower tray with our **NEW** 90mm High Flow Shower Waste featuring a modern and stylish finish.

Constructed from brass and plated in the following colours; Brushed Brass, Brushed Copper, Brushed Nickel, Matte Black and Matte White.

| 90MM SLIM TRAY WASTES |                |            |
|-----------------------|----------------|------------|
| DESCRIPTION           | COLOUR         | CODE       |
| 90mm Slim Tray Waste  | Brushed Brass  | TSLWASTEBB |
| 90mm Slim Tray Waste  | Brushed Copper | TSLWASTEBC |
| 90mm Slim Tray Waste  | Brushed Nickel | TSLWASTEBN |
| 90mm Slim Tray Waste  | Matte Black    | TSLWASTEMB |
| 90mm Slim Tray Waste  | White          | TSLWASTEMW |




# PROSEAL

## WATERPROOF BARRIER SEAL

Flexible up-stand seal installed onto shower trays, baths and worktops eliminating the risk of water leakage.

| PROSEAL                |           |
|------------------------|-----------|
| DESCRIPTION            | CODE      |
| ProSeal 2 metre Roll   | PROS2.0M  |
| ProSeal 2.5 metre Roll | PROS2.5M  |
| ProSeal 3 metre Roll   | PROS3.0M  |
| ProSeal 3.5 metre Roll | PROS3.5M  |
| ProSeal 4 metre Roll   | PROS4.0M  |
| ProSeal 10 metre Roll  | PROS10.0M |
| ProSeal 20 metre Roll  | PROS20.0M |



# SHOWER TRAY SHAPES

FIND YOUR PERFECT FIT



SQUARE



RECTANGLE



QUADRANT



OFFSET QUADRANT LEFT HAND



OFFSET QUADRANT RIGHT HAND

# SHOWER DOOR STYLES

DESIGNED TO FIT YOUR SPACE



SLIDING DOOR



CORNER ENTRY



OFFSET QUADRANT



PIVOT DOOR



QUADRANT



BIFOLD DOOR

# AT A GLANCE METRIC CONVERTER

NOMINAL GUIDE ONLY

| METRIC (MM) | FEET (FT) | INCHES (INS) |
|-------------|-----------|--------------|
| 700         | 2 ft 3.5  | 27.5         |
| 760         | 2 ft 6.0  | 30           |
| 800         | 2 ft 7.5  | 31.5         |
| 900         | 2 ft 11.4 | 35.5         |
| 1000        | 3 ft 3.5  | 39.5         |
| 1100        | 3 ft 7.3  | 43.3         |
| 1200        | 3 ft 11.2 | 47.2         |

# SHOWER DOOR MEASURING GUIDE



Note: Your measurements should be taken after tray installation and tiling.  
The space left after tiling will determine the shower door size required.

## FOR A RECESS

Measurement at low point \_\_\_\_\_

Measurement at high point \_\_\_\_\_

\* Two measures relevant for uneven walls to ensure shower door caters for adjustment width needed



## FOR A CORNER

Measure to acute edge of shower tray


Measurement A \_\_\_\_\_ B \_\_\_\_\_

## FOR A QUADRANT\*

| Radius Guide      |             |
|-------------------|-------------|
| Distance 'C' (mm) | Radius (mm) |
| 207               | 500         |
| 218               | 525         |
| 228               | 550         |

\*All Flair Quadrant and Offset Quadrant trays have a 550mm radius.

Timbers placed at right angles to determine C



Measurement


A \_\_\_\_\_ B \_\_\_\_\_ C \_\_\_\_\_

# QUALITY GUARANTEED

## QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All Flair products are CE approved and manufactured in accordance with ISO 9001 :2000 Quality Assurance systems. All glass is toughed safety glass and produced to EN12150. Flair products are performance tested to EN14428, ensuring the highest industry criteria is met.



The Flair PRO Essential Collections are covered by a 20 year guarantee against manufacturer defect.

This guarantee is valid on condition that the goods are installed and maintained in accordance with the products fitting instructions and best practices.

Non glass and detachable parts such as rollers, seals etc. are subject to normal wear and tear during usage and are under guarantee for 12 months from time of purchase.

Please complete your product guarantee card included in the components box or register online at [flairshowers.com/register](http://flairshowers.com/register).

**Note: Proof of purchase is necessary to validate your guarantee so retain purchase receipt for your Flair product.**

If a Flair shower enclosure is defective in materials or manufacture, please contact us on 0800 180 8050.

## CLEARVUE GLASS TREATMENT SYSTEM

VERVE shower doors, wetroom panels and Bathscreens are supplied with a special glass coating designed to reduce limescale build up and make cleaning the glass easier:



## AFTERSALES & SPARE PARTS SERVICE

Flair is 100% committed to customer service excellence.

We carry a full range of spare parts for each product collection and have dedicated aftersales specialists to deal with any issues you may have.

If you have any queries, please contact Flair on 0800 180 8050.

## RETURN POLICY

**Flair will not accept return of any product that has been opened.**

We do not accept return of any product if the packaging has been damaged.

If the product is unopened and not damaged, we will accept the return of the product but a handling fee of 25% of the invoice will be charged.

## SHOWER DOOR INSTALLATION ADVICE

BEFORE YOU INSTALL YOUR SHOWER ENCLOSURE PLEASE READ ALL INSTRUCTIONS. FAILURE TO DO SO MAY LEAD TO INVALIDATION OF YOUR GUARANTEE.

Flair Showers Ltd will not accept responsibility for any loss or damage, however caused, if the shower enclosure has not been installed as per the instructions.

- The shower tray MUST be fitted 100% level. The shower tray must be sealed correctly to prevent any water leakage.
- Glass edges are vulnerable and should be treated with care at all times. Contact with hard surfaces may result in glass breakage if due care is not taken.
- Check walls for electrical cabling or water pipes before drilling.
- Your shower enclosure, Bathscreen or wetroom must be inspected before installation. Check for all visual defects on the product before installation. Once the enclosure has been installed no claims of damage or defect will be accepted. Fitting of shower enclosure is acceptance of quality.
- The wall plugs supplied with the shower door are for use in solid walls. Timber frame, stud partition walls will require alternative fixings.
- Ensure vertical wall profiles are level and are an equal distance in from the tray.
- Shower Doors, Wetroom Screens, Bathscreens and Side Panels are adjustable between the dimensions stated. All dimensions are approximate.
- Ensure adjustment at wall profiles are equal at both sides and that all screws are fully tightened.
- Ensure hinges are level and securely fitted to the glass.
- Ensure magnets are the right orientation and are attracting rather than repelling.
- The shower enclosure should be sealed on the outside only using silicone sealant.

- Care must be taken during assembly. Flair will not accept responsibility where incorrect assembly results in undue stress being put on any components in this product.
- If there are any manufacturer defects, please call Flair Service Line on 0800 180 8050.
- Note: If a problem has been caused by incorrect installation, a call-out charge will apply for the Flair technical engineer's time. Subsequent charges will apply "to fix" a problem caused by incorrect installation.

## BATHSCREEN INSTALLATION

The Bathscreen must be installed on a 100% level surface with the bath edge free from obstructions.

Bathscreens should not be used on a bath with roll top rim, stepped edge rim or where the bath handle void meets the Bathscreen seal. This will impact on the performance of the bathscreen and the guarantee will be void. The Bathscreen should be fitted to the inside edge of the bath only.

A Bathscreen acts as a water deflector and is not 100% waterproof. If used appropriately under normal showering conditions and installed to the inside edge of the bath, water will be deflected into the showering area. Bathscreens are not suitable for power showers.

## SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive. Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.

NOTE: It is normal for a small amount of localised water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.

## CLEANING GUIDELINES

- Glass: Use a soft cloth and mild detergent, rinse off thoroughly.
- Metallic Surfaces: Use a soft cloth and warm soapy water. Rinse off thoroughly.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product. These include acidic based cleaning products, bleaches, solvents or abrasive pads. Only use detergents, cleaners and limescale removers with a pH of 5-8.
- The constant use of detergents will degrade the finish of the product over time if not thoroughly rinsed off.
- In hard water areas, regular cleaning of your Flair door will help to prevent the build-up of limescale. Stubborn deposits of limescale can be removed with the use of a mild limescale remover.
- Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit/ dirt which may have collected over time.

## CONDITIONS OF SALE

Unless otherwise stated, all quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

**As part of our continuing policy of product improvement, we reserve the right to amend specifications, colours and s without prior notice. Images are for illustrated purposes only. The colours and finishes shown in the catalogue are as accurate as possible within the limits of the printing process. The positioning of all shower heads and shower wastes in the brochure is for illustrative purposes only.**

**\*Errors and Omissions Exempt.**

# SPECIFICATION COMPARISON...

A selection of our product features and specifications are summarised below to help you select the right collection for every installation.

|  |                        | VERVE<br>PRO 8<br>Page 12                                                           | VERVE<br>PRO<br>Page 22                                                             | VERVE PRO<br>WETROOMS<br>Page 40                                                     | VERVE PRO<br>BATHTHSCREENS<br>Page 44                                                 |  |                        | SLIMLINE<br>TELESCOPIC<br>Page 52                                                     | FRAMELESS<br>SIX<br>Page 60                                                           |  |
|--|------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--|------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--|
|  | GLASS THICKNESS        | Up to 8mm                                                                           | 6mm                                                                                 | 8mm                                                                                  | 6 + 8mm                                                                               |  | GLASS THICKNESS        | 6mm                                                                                   | 6mm                                                                                   |  |
|  | DOOR HEIGHT            | 1950mm                                                                              | 1900mm                                                                              | 2000mm                                                                               | Up to 1500mm                                                                          |  | DOOR HEIGHT            | 1950mm                                                                                | 1950mm                                                                                |  |
|  | FITTING / ASSEMBLY     |    |    | –                                                                                    | –                                                                                     |  | FITTING / ASSEMBLY     |    | –                                                                                     |  |
|  | ADJUSTMENT             | Up to 50mm                                                                          | Up to 50mm                                                                          | Up to 15mm                                                                           | Up to 15mm                                                                            |  | ADJUSTMENT             | Up to 100mm                                                                           | Up to 50mm                                                                            |  |
|  | FINISHES               |  |  |  |  |  | FINISHES               |  |  |  |
|  | ROLLER WHEELS          | Quick Release Double Wheel                                                          | Quick Release Double Wheel                                                          | Quick Release Double Wheel                                                           | Quick Release Double Wheel                                                            |  | ROLLER WHEELS          | Quick Release Double Wheel                                                            | –                                                                                     |  |
|  | GLASS COATING          | Clearvue                                                                            | Clearvue                                                                            | Clearvue                                                                             | Clearvue                                                                              |  | GLASS COATING          | Clean Easy                                                                            | Clean Easy                                                                            |  |
|  | COVER CAPS / STRIPS    | Chrome / Black Plated                                                               | Chrome / Black Plated                                                               | Chrome / Black Plated                                                                | Chrome / Black Plated                                                                 |  | COVER CAPS / STRIPS    | Chrome Plated                                                                         | Chrome / Black Plated                                                                 |  |
|  | PVC-CLEAR SEALS        | YES                                                                                 | YES                                                                                 | YES                                                                                  | YES                                                                                   |  | PVC-CLEAR SEALS        | YES                                                                                   | YES                                                                                   |  |
|  | SHOWER TRAY COMPATIBLE | YES                                                                                 | YES                                                                                 | YES                                                                                  | YES                                                                                   |  | SHOWER TRAY COMPATIBLE | YES                                                                                   | YES                                                                                   |  |
|  | WETROOM COMPATIBLE     | YES                                                                                 | YES                                                                                 | YES                                                                                  | YES                                                                                   |  | WETROOM COMPATIBLE     | –                                                                                     | YES                                                                                   |  |
|  | GUARANTEE              | 20 Years                                                                            | 20 Years                                                                            | 20 Years                                                                             | 20 Years                                                                              |  | GUARANTEE              | 20 Years                                                                              | 20 Years                                                                              |  |






JOIN OUR EXCLUSIVE  
WHATSAPP GROUP

Stay updated on our latest locations and events.  
Get real-time updates and join us when we're in your area.



*"We are committed to supporting installers with high-quality products that make their jobs easier and more efficient. Flair PRO is engineered with innovations that simplify installations and is trusted for its reliability and performance. We are proud to be the installer's choice."*

Johnny O'Callaghan  
SALES DIRECTOR



flair

Flair Showers

England / Scotland / Wales  
0800 180 8050

[sales@flairshowers.co.uk](mailto:sales@flairshowers.co.uk)



[FLAIRSHOWERS.COM](http://FLAIRSHOWERS.COM)

