

THE ROKU® COLLECTION



APRIL 2025



THE ROKU[®] COLLECTION

Lakes Showering Spaces is one of the UK's longest established showering brands with a strong history and pedigree, having been founded almost 40 years ago.

In that time Lakes has built up an award-winning reputation based on trust, quality and first-class customer service levels. Because we care.

Right down to the finest and often unseen details all Lakes shower doors are skilfully designed in the UK for the UK market and manufactured to the most stringent quality standards in our own factory.

At Lakes, we consider every element of the showering space, to make sure it suits the needs of the people using it, from the clarity of the glass to the performance of the doors and even the reassuring feel of the tray under our feet.



Loyal, regular customers as well as those buying a Lakes product for the first time agree our products are 'excellent'. Lakes rating published via **Trust Pilot** is Excellent.



We are proud members of the **Bathroom Manufacturer's Association** and collaborate with many other fellow companies to focus on raising quality standards, improving safety and compliance and sustainability by reducing our environmental impact – all helping shape the future growth of our industry and showering product sector.

Lifetime Guarantee

Showers are important and integral elements of our lives. So, when it comes to buying or replacing a showering space, it helps to know your choice is supported by the highest quality assurance, customer service and technical support.

Lakes' genuine **Lifetime Guarantee*** covers all our shower doors and enclosures and spare parts and is also fully transferable. So even if someone moves home, the new owner will still be covered for the lifetime of the product.

If you have a problem with any part of a Lakes product, we will sort it out. quickly. Our efficient customer service support means spare parts will most likely arrive the next day. Another reason why we're recommended by homeowners, stockists and installers across the UK.

For more information on the guarantee for shower trays please contact us directly.

*Reduced height shower doors carry a 10-year guarantee



Carbon Neutral & Sustainable

Lakes has taken steps to be certified Carbon Neutral by changing how we operate as a business. Naturally, we recycle all our product, site and office waste.

Our product packaging is 100% recyclable too, plus we're working with customers to take back our used packaging from installers through participating stockists. This step alone will remove 2,000 kilometres of plastic banding and two million pieces of polystyrene a year from landfill.

We continue to work with Carbon Footprint Ltd to offset the carbon emissions produced in the day-to-day running of our business by investing in environmental projects.


Lakes is proud to have been awarded the Carbon Footprint Standard and recognised as a Carbon Neutral Plus organisation.



Contents

Sliding Shower Doors	06
Bifold Shower Doors	10
Quadrant Shower Doors	14
Pivot Shower Doors	18
Corner Sliding Shower Door	22
Three-Sided Shower Doors	24
Inline Fixed Panels	26
Shower Door Accessories	27
8mm Walk In Panels	28
Reduced Height Shower Doors	32
Bath Screens	36
Stone Resin Shower Trays	40
Shower Tray Waste Positions	44
Lakes Guarantee	45
Product Care	46
Reference Guide	47

Icons




6MM TOUGHENED SAFETY GLASS

8MM TOUGHENED SAFETY GLASS

LIFETIME GUARANTEE

10 YEAR GUARANTEE




1500MM HEIGHT

1830MM HEIGHT

1900MM HEIGHT

1920MM HEIGHT



ALLCLEAR GLASS PROTECTION

REVERSIBLE DESIGN

COLOUR OPTIONS





Lakes AllClear®

The shower is often one of the most in-demand utilities in a busy household, which can make it hard to keep clean and looking good as new. **Lakes AllClear®** advanced glass coating is applied on both sides of the glass as standard and at no extra cost.

The science behind clear glass. The microscopic nanoparticles in the **Lakes AllClear®** innovative bonded coating fills the gaps in the naturally pitted surface of the glass to ensure water, limescale and soap scum simply slides off.

A simple wipe clean with a damp cloth of the specially treated glass keeps it looking like new, so your relaxing shower isn't spoiled by smears and smudges.

Lakes Glass with **AllClear®** is 10 times more scratch resistant than standard glass, so it can handle whatever life throws at it.

Quality

Outstanding quality, performance and safety throughout. Lakes also regularly test products above and beyond mandatory standards, allowing us to offer a Lifetime guarantee.

Made from toughened safety glass, conforming to BS EN12150-1 (which is etched onto each piece of glass). Every shower door and bathscreen are tested and comply with BS EN 14428:2015+A1:2018.

All shower trays pass the required quality and safety standards BS EN14527:2006 Class1/BS EN15720:2009, and our slip resistant trays achieve Class C DIN 51097.



The Colour Impact

The bathroom is one of the most used rooms in the home and the colour scheme accents can make all the difference to the user's happiness and aesthetic appeal of the bathroom.

Timeless silver/chrome, dramatic and bold black or the natural warmth of brushed brass will assist as you personalise the bathroom design.

Whichever colour – we are confident you'll achieve a great coordinating look with any number of branded brassware and accessory brands.


All colours are produced to the most exacting production and quality standards, featuring super strong surfaces that are easy to clean, and are stain, UV, chemical and scratch resistant.



SILVER



BLACK



BRUSHED BRASS

Sliding Shower Door

Essential, timeless design that will provide a lightness and harmony to any bathroom. Smooth motion, great visual style.

FEATURES:

1900mm standard height doors

6mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS EN14428:2015+A1:2018

Lifetime warranty

AllClear® easy clean glass both sides

20mm adjustment per wall profile

Semi-Framed Design

Effortless installation

Twin, quick release rollers for easy cleaning.

Fully reversible

Complete with Profile Cover Caps

With or without side panel

Extension Profiles available

Optional wall and profile cover strips – see page 27

Compatible shower trays - see page 42-43

1830mm Loft Height available - see page 34-35



SILVER



BLACK



BRUSHED BRASS



Sliding Door 1900

1900mm Height Sliding Door in Recess and for Use with Optional Side Panel

Width mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
1000	950 - 990	AS100	B or BRS	345.00	414.00	386.40	463.68	407.10	488.52
1100	1050 - 1090	AS110	B or BRS	364.72	437.66	408.48	490.18	430.37	516.44
1200	1150 - 1190	AS120	B or BRS	381.14	457.37	426.88	512.25	449.75	539.70
1300	1250 - 1290	AS130	B or BRS	391.00	469.20	437.92	525.50	461.38	553.66
1400	1350 - 1390	AS140	B or BRS	400.86	481.03	448.96	538.76	473.01	567.62
1500	1450 - 1490	AS150	-	423.86	508.63	-	-	-	-
1600	1550 - 1590	AS160	-	443.58	532.30	-	-	-	-
1700	1650 - 1690	AS170	-	460.00	552.00	-	-	-	-

Note: Unit sizes 1000 to 1200 are supplied pre-assembled, sizes 1300 to 1700 are kitted. Semi-framed sliding door is reversible, door may be positioned to LH (as shown) or RH of enclosure. Frame is fully reversible (i.e. may be rotated to suit either hand), door requires assembling to appropriate 'hand'. Full height profile & cover section kits available to order separately, see table opposite and page 27 for more detail.

1900mm Optional Extension Profiles


Width mm		Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
15	Extension Profile	ALEP15	B or BRS	30.00	36.00	33.60	40.32	35.40	42.48
30	Extension Profile	ALEP	B or BRS	35.63	42.75	39.90	47.88	42.04	50.45

An optional inline panel is available in silver only, see page 26.

When ordering your door please use the code for the size required. Then add the colour code you need. Example: AS120 is the standard silver code. Add suffix B for Black or BRS for Brushed Brass. Example, AS120B for Black, AS120BRS for Brushed Brass.

Opening widths

Size mm	W Width	D Opening
1000	950 - 990	385
1100	1050 - 1090	435
1200	1150 - 1190	485
1300	1250 - 1290	535
1400	1350 - 1390	585
1500	1450 - 1490	635
1600	1550 - 1590	685
1700	1650 - 1690	735



Sliding Door 1900 - Optional Side Panel

1900mm Height Optional Side Panel

Width mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
700	660 - 700	ASP070	-	213.00	255.60	-	-	-	-
750	710 - 750	ASP075	-	225.00	270.00	-	-	-	-
800	760 - 800	ASP080	B or BRS	240.00	288.00	268.80	322.56	286.74	344.09
900	860 - 900	ASP090	B or BRS	243.00	291.60	272.16	326.59	311.52	373.82
1000	960 - 1000	ASP100	-	264.00	316.80	-	-	-	-

Please Note: Profile cover strips do not come as standard and need to be ordered separately if required - see below, more details see page 27.


Optional Corner Bracing Bar for Side Panel

	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
			Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
Angled bracing bar for side and inline panels	AI-BA	B or BRS	30.27	36.32	33.90	40.68	35.72	42.86

1900mm Optional Full Height Profile & Cover Section Kits


Height mm		Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
1900	Wall Profile with Cover Section	AWP-C	B or BRS	67.14	80.57	75.20	90.24	79.23	95.07
1900	Corner Post and Cover Section	ACP-C	B or BRS	55.54	66.65	62.21	74.65	65.54	78.64

Supplied complete with cover caps.



Widths

Side Panel mm	SP
700	660 - 700
750	710 - 750
800	760 - 800
900	860 - 900
1000	960 - 1000



Bifold Shower Door

The ultimate space saving door. Designed to provide the best performance day after day. Our carefully designed handle allows maximum door opening width, and smart magnetic seals keep the water in.

FEATURES:

1900mm standard height doors

6mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS EN14428:2015+A1:2018

Lifetime warranty

AllClear® easy clean glass both sides

20mm adjustment per wall profile

Complete with Profile Cover Caps

Effortless installation

Magnetic seals

Fully reversible

With or without side panel

Extension Profiles available

Optional wall and profile cover strips see page 27

Compatible shower trays - see page 42-43

1830mm Loft Height available see page 34-35



SILVER



BLACK



BRUSHED BRASS



Bifold Shower Door 1900

1900mm Height Bifold Door in Recess and for Use with Optional Side Panel

Width mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
700	650 - 690	AB070	-	355.72	426.86	-	-	-	-
750	700 - 740	AB075	-	358.58	430.29	-	-	-	-
800	750 - 790	AB080	B or BRS	361.43	433.72	404.80	485.76	426.49	511.78
900	850 - 890	AB090	B or BRS	381.14	457.37	426.88	512.25	449.75	539.70
1000	950 - 990	AB100	B or BRS	404.14	484.97	452.64	543.16	476.89	572.26

Semi framed bifold door is reversible, hinge may be positioned to RH or LH.

Bifold doors are supplied pre assembled.

Please Note: Profile cover strips do not come as standard and need to be ordered separately if required, see opposite and - see opposite, for more detail see page 27.

1900mm Optional Extension Profiles


Width mm		Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
15	Extension Profile	ALEP15	B or BRS	30.00	36.00	33.60	40.32	35.40	42.48
30	Extension Profile	ALEP	B or BRS	35.63	42.75	39.90	47.88	42.04	50.45

An optional inline panel is available in silver only, see page 26.

When ordering your door please use the code for the size required. Then add the colour code you need. Example: AS120 is the standard silver code. Add suffix B for Black or BRS for Brushed Brass. Example, AS120B for Black, AS120BRS for Brushed Brass.

Opening widths

Size mm	W Width	D Opening	I Intrusion Fully Open
700	650 - 690	445	308
750	700 - 740	495	334
800	750 - 790	545	359
900	850 - 890	645	410
1000	950 - 990	745	460



Bifold Shower Door 1900 - Optional Side Panel

1900mm Height Optional Side Panel

Width mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
700	660 - 700	ASP070	-	213.00	255.60	-	-	-	-
750	710 - 750	ASP075	-	225.00	270.00	-	-	-	-
800	760 - 800	ASP080	B or BRS	240.00	288.00	268.80	322.56	286.74	344.09
900	860 - 900	ASP090	B or BRS	243.00	291.60	272.16	326.59	311.52	373.82
1000	960 - 1000	ASP100	-	264.00	316.80	-	-	-	-

Please Note: Profile cover strips do not come as standard and need to be ordered separately if required - see below, more details see page 27.

Optional Corner Bracing Bar for Side Panel

	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
			Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
Angled bracing bar for side and inline panels	AI-BA	B or BRS	30.27	36.32	33.90	40.68	35.72	42.86

1900mm Optional Full Height Profile & Cover Section Kits

Height mm		Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
1900	Wall Profile with Cover Section	AWP-C	B or BRS	67.14	80.57	75.20	90.24	79.23	95.07
1900	Corner Post and Cover Section	ACP-C	B or BRS	55.54	66.65	62.21	74.65	65.54	78.64


Supplied complete with cover caps.



Widths

Side Panel mm	SP
700	660 - 700
750	710 - 750
800	760 - 800
900	860 - 900
1000	960 - 1000

Optional side panel may be used to either / or both sides of door with bracing bar.



Quadrant Sliding Shower Doors

Unrivalled performance, superbly engineered, elegant, seamless visual design. The very best corner showering solution, whether single or two doors, both can make your bathroom look larger. Featuring quick release double rollers and ultra clear seals.

FEATURES:

1900mm standard height doors

6mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS EN14428:2015+A1:2018

Lifetime warranty

AllClear® easy clean glass both sides

20mm adjustment per wall profile

Complete with Profile Cover Caps

Twin, quick release rollers for easy cleaning.

Single and Two door options

Suitable for use on 550mm radius quadrant trays ONLY

Effortless installation

Magnetic seals

Fully reversible

Extension Profiles available

Optional wall and profile cover strips see page 27

Compatible shower trays - see page 42-43

1830mm Loft Height available see page 34-35



SILVER



BLACK



BRUSHED BRASS



Single Door Sliding Quadrant

1900mm Height Single Door Quadrant

Size mm	Adjustment mm	Silver Code	Price £ Ex. VAT	Price £ Inc. VAT	Black Code	Price £ Ex. VAT	Price £ Inc. VAT	Brushed Brass Code	Price £ Ex. VAT	Price £ Inc. VAT
900 x 900	870 - 890	ARSD090 & ARSDDG	400.00	480.00	ARSD090B & ARSDDG	448.00	537.60	ARSD090BRS & ARSDDG	472.00	566.40

You must order BOTH product codes for your chosen size. Note: Door closure is to 'flat' fixed panel only.

1900mm Height Single Door Offset Quadrants

Size mm	Adjustment mm	Silver Code	Price £ Ex. VAT	Price £ Inc. VAT	Black Code	Price £ Ex. VAT	Price £ Inc. VAT	Brushed Brass Code	Price £ Ex. VAT	Price £ Inc. VAT
1000 x 800	970 - 990 / 770 - 790	ARSD108 & ARSDDG	417.14	500.57	ARSD108B & ARSDDG	467.20	560.64	ARSD108BRS & ARSDDG	492.23	590.68
1200 x 800	1170 - 1190 / 770 - 790	ARSD128 & ARSDDG	446.68	536.02	ARSD128B & ARSDDG	500.28	600.34	ARSD128BRS & ARSDDG	527.09	632.51
1200 x 900	1170 - 1190 / 870 - 890	ARSD129 & ARSDDG	455.06	546.07	ARSD129B & ARSDDG	509.67	611.60	ARSD129BRS & ARSDDG	536.97	644.36

You must order BOTH product codes for your chosen size. Note: Door closure is to 'flat' fixed panel only.

Fully reversible semi framed quadrant (offset types may be constructed LH or RH). Units are supplied in kit form.

Please Note: Profile cover strips do not come as standard and need to be ordered separately if required, see page 27 for more details.

1900mm Optional Extension Profiles

Width mm		Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
15	Extension Profile	ALEP15	B or BRS	30.00	36.00	33.60	40.32	35.40	42.48
30	Extension Profile	ALEP	B or BRS	35.63	42.75	39.90	47.88	42.04	50.45


1900mm Optional Full Height Profile & Cover Section Kits

Height mm		Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
1900	Wall Profile with Cover Section	AWP-C	B or BRS	67.14	80.57	75.20	90.24	79.23	95.07
1900	Corner Post & Cover Section	ACP-C	B or BRS	55.54	66.65	62.21	74.65	65.54	78.64

Supplied complete with cover caps.

Opening widths

Size mm	W1 Width	W2 Width	D Opening
900 x 900	870 - 890	870 - 890	500
1000 x 800	970 - 990	770 - 790	500
1200 x 800	1170 - 1190	770 - 790	500
1200 x 900	1170 - 1190	870 - 890	500



LEFT HAND



RIGHT HAND



RIGHT HAND SHOWN

Two Door Sliding Quadrant

1900mm Height Two Door Quadrant

Width mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
800 x 800	770 - 700	AR080	B or BRS	385.72	462.86	432.00	518.40	443.58	532.29
900 x 900	870 - 890	AR090	B or BRS	385.72	462.86	432.00	518.40	443.58	532.29



1900mm Height Two Door Offset Quadrants

Width mm	Adjustment mm	Doorway mm	Silver Code	Price £ Ex. VAT	Price £ Inc. VAT
1000 x 800	970 - 990 / 770 - 790	450	AR108	402.86	483.43
1200 x 800	1170 - 1190 / 770 - 790	450	AR128	432.40	518.88
1200 x 900	1170 - 1190 / 870 - 890	530	AR129	440.78	528.94

Fully reversible semi framed quadrant (offset types may be constructed LH or RH). Units are supplied in kit form.

Please Note: Profile cover strips do not come as standard and need to be ordered separately if required, see opposite page and page 27 for more details.

Extension profiles available - please see page opposite.




Widths

Size mm	W1 Width	W2 Width	D Opening
800 x 800	770 - 790	770 - 790	370
900 x 900	870 - 890	870 - 890	530
1000 x 800	970 - 990	770 - 790	450
1200 x 800	1170 - 1190	770 - 790	450
1200 x 900	1170 - 1190	870 - 890	530

Right hand shown.

When ordering your door please use the code for the size required. Then add the colour code you need. Example: AR80 is the standard silver code. Add suffix B for Black or BRS for Brushed Brass. Example, AR80B for Black, AR80 BRS for Brushed Brass.



Pivot Shower Door

Understated looks, unrivalled form and function, 90° outward opening pivot doors provide easy shower space access in a corner or an alcove for a busy family bathroom. Featuring clear and watertight magnetic seals.

FEATURES:

1900mm standard height doors

6mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS EN14428:2015+A1:2018

Lifetime warranty

AllClear® easy clean glass both sides

20mm adjustment per wall profile

Complete with Profile Cover Caps

90° outward opening

Effortless installation

Perfect for smaller bathrooms

Magnetic seals

Fully reversible

With or without side panel

Extension Profiles available

Optional wall and profile cover strips see page 27

Compatible shower trays - see page 42-43

1830mm Loft Height available see page 34-35



SILVER



BLACK



BRUSHED BRASS



Pivot Shower Door 1900

1900mm Height Pivot Door in Recess and for Use with Optional Side Panel

Width mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
700	650 - 690	AP070	-	269.43	323.32	-	-	-	-
750	700 - 740	AP075	-	282.58	339.10	-	-	-	-
800	750 - 790	AP080	B or BRS	285.86	343.03	320.16	384.19	337.31	404.77
900	850 - 890	AP090	B or BRS	305.58	366.69	342.24	410.69	360.58	432.70
1000	950 - 990	AP100	-	328.58	394.29	-	-	-	-

Semi framed pivot door is reversible, hinge may be positioned to RH or LH..

Pivot doors are supplied pre assembled.

Please Note: Profile cover strips do not come as standard and need to be ordered separately if required, see opposite and - see page 27. for more details.

1900mm Optional Extension Profiles


Width mm		Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
15	Extension Profile	ALEP15	B or BRS	30.00	36.00	33.60	40.32	35.40	42.48
30	Extension Profile	ALEP	B or BRS	35.63	42.75	39.90	47.88	42.04	50.45

An optional inline panel is available in silver only, see page 26.

When ordering your door please use the code for the size required. Then add the colour code you need. Example: AS120 is the standard silver code. Add suffix B for Black or BRS for Brushed Brass. Example, AS120B for Black, AS120BRS for Brushed Brass.

Opening widths

Size mm	W Width	D Opening	I Protrusion (at 90°)
700	650 - 690	430	437
750	700 - 740	480	487
800	750 - 790	510	517
900	850 - 890	580	587
1000	950 - 990	630	637



Pivot Shower Door 1900 - Optional Side Panel

1900mm Height Optional Side Panel

Width mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
700	660 - 700	ASP070	-	213.00	255.60	-	-	-	-
750	710 - 750	ASP075	-	225.00	270.00	-	-	-	-
800	760 - 800	ASP080	B or BRS	240.00	288.00	268.80	322.56	283.20	339.84
900	860 - 900	ASP090	B or BRS	243.00	291.60	272.16	326.59	286.74	344.09
1000	960 - 1000	ASP100	-	264.00	316.80	-	-	-	-

Please Note: Profile cover strips do not come as standard and need to be ordered separately if required - see page 27. for more details.

1900mm Optional Full Height Profile & Cover Section Kits


Height mm		Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
1900	Wall Profile with Cover Section	AWP-C	B or BRS	67.14	80.57	75.20	90.24	79.23	95.07
1900	Corner Post and Cover Section	ACP-C	B or BRS	55.54	66.65	62.21	74.65	65.54	78.64

Supplied complete with cover caps.



Widths

Side Panel mm	SP
700	660 - 700
750	710 - 750
800	760 - 800
900	860 - 900
1000	960 - 1000



Corner Sliding Door

Perfectly proportioned for bathrooms where space-saving is an absolute premium, cleverly designed to provide plentiful entry, exit and showering space.

FEATURES:

1900mm standard height doors

6mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS EN14428:2015+A1:2018

Lifetime warranty

AllClear® easy clean glass both sides

20mm adjustment per wall profile

Complete with Profile Cover Caps

Effortless installation

Twin, quick release rollers for easy cleaning.

Extension Profiles available

Optional wall and profile cover strips see page 27

Compatible shower trays - see page 42-43



1900mm Height Sliding Corner Entry

Width mm	Adjustment mm	Doorway mm	Silver Code	Price £ Ex. VAT	Price £ Inc. VAT
750 x 750	720 - 740	385	AC075	272.72	327.26
800 x 800	760 - 780	410	AC080	276.00	331.20
900 x 900	860 - 880	480	AC090	295.72	354.86

Please note the codes are for sides of an enclosure - it is necessary to purchase 2 sides to make an enclosure.

Product supplied in pre built halves, unless specified, symmetric sides will be assumed. Offset (asymmetric)

enclosures may be achieved - ensure BOTH sizes are stated when ordering.

Please Note: Profile cover strips do not come as standard and need to be ordered separately if required


- see page 27. for more details.

1900mm Optional Extension Profiles

Width mm		Silver Code	Ex. VAT £	Silver Prices Inc. VAT £
15	Extension Profile	ALEP15	30.00	36.00
30	Extension Profile	ALEP	35.63	42.75

Opening widths

Size mm	W1 Width	W2 Width	D Opening
750 x 750	720 - 740	720 - 740	385
800 x 800	760 - 780	760 - 780	410
900 x 900	860 - 880	860 - 880	480





Three-Sided Shower Enclosures

Have a little more space in the bathroom? Replacing a bath but want to free up floors and walls for more family storage?

Our 6mm Sliding, Bifold and Pivot doors can all be easily installed with two side panels either side of the moving door to create a more indulgent feel to your showering space.



**Easy to design
in and order.**

1

Select your moving door,
width and colour.

2

Select your preferred size of
side panel to suit the floor
space/shower tray.

3

Use two angled
bracing bars.

4

Don't forget a compatible
Lake's shower tray to
complete the showering
space see pages 42-43.



Inline Fixed Panels

Exclusively Silver/Chrome

Where a room or design requires a wider shower door configuration than standard sizes for a Lakes 6mm Sliding, Bifold or Pivot shower door, this practical In-line Panel Pack contains all you need to create a luxuriously sized showering space.

1900mm Height Optional Inline Panel for Slider, Bifold & Pivot Door

Width mm	Adjustment mm	Silver Code	Price £ Ex. VAT	Price £ Inc. VAT
300	290-300	AIP030	£207.00	£248.40

Supplied with bracing bar. This Inline panel creates a linear design where a glass panel door is attached to one or more glass panels at a 180-degree angle.

Sliding Shower door - with Optional Inline Panel

Size mm	Code	Adjustment mm	Inline Panel	Adjustment mm	Resulting Adjustment Range mm
1000	AS100	950 - 990	AIP030	290 - 300	1240 - 1290
1100	AS110	1050 - 1090	AIP030	290 - 300	1340 - 1390
1200	AS120	1150 - 1190	AIP030	290 - 300	1440 - 1490
1300	AS130	1250 - 1290	AIP030	290 - 300	1540 - 1590
1400	AS140	1350 - 1390	AIP030	290 - 300	1640 - 1690
1500	AS150	1450 - 1490	AIP030	290 - 300	1740 - 1790
1600	AS160	1550 - 1590	AIP030	290 - 300	1840 - 1890
1700	AS170	1650 - 1690	AIP030	290 - 300	1940 - 1990

Bifold Shower door - with Optional Inline Panel

Size mm	Code	Adjustment mm	Inline Panel	Adjustment mm	Resulting Adjustment Range mm
700	AB070	650 - 690	AIP030	290 - 300	940 - 990
750	AB075	700 - 740	AIP030	290 - 300	990 - 1040
800	AB080	750 - 790	AIP030	290 - 300	1040 - 1090
900	AB090	850 - 890	AIP030	290 - 300	1140 - 1190
1000	AB100	950 - 990	AIP030	290 - 300	1190 - 1290

Pivot Shower door - with Optional Inline Panel

Size mm	Code	Adjustment mm	Inline Panel	Adjustment mm	Resulting Adjustment Range mm
700	AB070	650 - 690	AIP030	290 - 300	940 - 990
750	AB075	700 - 740	AIP030	290 - 300	990 - 1040
800	AB080	750 - 790	AIP030	290 - 300	1040 - 1090
900	AB090	850 - 890	AIP030	290 - 300	1140 - 1190
1000	AB100	950 - 990	AIP030	290 - 300	1190 - 1290



Shower Door Accessories

To enhance visual style, and ease of cleaning, optional full height profile & cover section kits can be used to replace conventional (standard supply) wall & corner profiles. Available in silver, matt black & brushed brass. To allow overcome dimension and or wall construction challenges extension profiles in all our 3 colours are available in two sizes.



WALL PROFILE WITH COVER SECTION



CORNER POST AND COVER SECTION



CORNER POST WITHOUT COVER STRIPS

1900mm Optional Full Height Profile & Cover Section Kits

Height mm		Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
1900	Wall Profile with Cover Section	AWP-C	B or BRS	67.14	80.57	75.20	90.24	79.23	95.07
1900	Corner Post and Cover Section	ACP-C	B or BRS	55.54	66.65	62.21	74.65	65.54	78.64

Supplied complete with cover caps.

1900mm Optional Extension Profiles

	Width mm		Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
					Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
	15	Extension Profile	ALEP15	B or BRS	30.00	36.00	33.60	40.32	35.40	42.48
	30	Extension Profile	ALEP	B or BRS	35.63	42.76	39.90	47.88	42.04	50.45

Optional Corner Bracing Bar for Side Panel

		Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
	Angled bracing bar for side and inline panels	AI-BA	B or BRS	30.27	36.32	33.90	40.68	35.72	42.86

Option for adding strength to side panels and recommended when designing and installing a 3 sided enclosure.

8mm Walk In Panels

Elevate your showering space and experience. Crystal clear glass with AllClear® coating on both sides, minimalist design that will enhance any bathroom. Corner, recess or straight wall, direct to shower tray or tiled floor. This superb collection brings a touch of spa hotel elegance, effortlessly combining charm and sophistication.

FEATURES:

1920mm height panels

8mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS EN14428:2015+A1:2018

Lifetime warranty

AllClear® easy clean glass both sides

Completely frameless

15mm adjustment

All panels come with a wall profile and bracing bar

Fully reversible

Fit on shower tray or tiled floor


Optional & retrofit table 180° deflector panel available

Complete with Profile Cover Caps


Compatible shower trays - see page 42-43



SILVER



BLACK



BRUSHED BRASS



Walk In Panels - Front & Optional Side Panel Applications

1920mm Height Walk In Panels

Width mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
700	660 - 675	AW070A	B or BRS	219.52	263.42	245.86	295.03	259.03	310.84
800	760 - 775	AW080A	B or BRS	234.93	281.92	263.12	315.75	277.22	332.66
900	860 - 875	AW090A	B or BRS	250.55	300.66	280.62	336.74	295.65	354.78
1000	960 - 975	AW100A	B or BRS	265.92	319.10	297.83	357.40	313.79	376.54
1100	1060 - 1075	AW110A	B or BRS	281.06	337.27	314.79	377.74	331.65	397.98
1200	1160 - 1175	AW120A	B or BRS	296.90	356.28	332.53	399.03	350.34	420.41

Supplied complete with wall profile and glass to wall bracing bar.

Note: Units are fully reversible. May be fitted to LH (as shown below) or RH wall.

Two sided configurations will require 2 panels to be ordered plus T jointing bracket.

1920mm Height Frameless Hinged Deflector Panel

Width mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
305	180° rotation	AW030C	B or BRS	158.90	190.68	177.97	213.56	187.50	225.00

Deflector can be retro fitted.

T joint required when fitting 2 x Fixed Panel


	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
			Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
T jointing bracket	10CSS-62	B or BRS	25.70	30.84	28.78	34.54	30.33	36.39

When ordering your door please use the code for the size required. Then add the colour code you need. Example: AW80A is the standard silver code.


Add suffix B for Black or BRS for Brushed Brass. Example, AW80AB for Black, AW80ABRS for Brushed Brass.



SILVER




BLACK



BRUSHED BRASS




WETROOM PANEL



WETROOM PANEL WITH DEFLECTOR

Walk In Panels - Two Panels



SILVER




BLACK



BRUSHED BRASS



WETROOM FRONT AND SIDE PANEL WITH T BRACE



WETROOM FRONT AND SIDE PANEL WITH T BRACE AND DEFLECTOR PANEL



Reduced Height Shower Doors

Ideal where the ceiling height is limited such as a loft conversion or sloping ceiling. There is no sacrificing style or performance. Available exclusively in Lake's beautiful bright anodised silver finish. We like to call them "Shorty".



FEATURES:

1830mm standard height doors

6mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS
EN14428:2015+A1:2018

Semi Framed

20mm adjustment per wall profile

Complete with Profile Cover Caps

Single, quick release rollers for easy cleaning

Magnetic seals

Optional Extension Profiles available

Compatible shower trays - see page 42-43



Reduced Height - Sliding, Bifold & Pivot Shower Doors

1830mm Reduced Height Sliding Door in Recess and for Use with Optional Side Panel

Width mm	Adjustment mm	Doorway mm	Silver Code	Price £ Ex. VAT	Price £ Inc. VAT
1000	960 - 1000	390	6CS100	300.83	360.99
1100	1060 - 1100	440	6CS110	316.58	379.89
1200	1160 - 1200	490	6CS120	331.88	398.25
1400	1360 - 1400	590	6CS140	335.48	402.57
1500	1460 - 1500	640	6CS150	354.48	425.38
1600	1560 - 1600	690	6CS160	364.61	437.54
1700	1660 - 1700	740	6CS170	380.39	456.47

Note: Unit sizes 1000 to 1200 are supplied pre-assembled, sizes 1400 to 1700 are kitted. Sliding door is reversible, door may be positioned to LH or RH of enclosure. Frame is fully reversible (i.e. may be rotated to suit either hand), door requires assembling to appropriate 'hand'.

1830mm Height Bifold Door in Recess and for Use with Optional Side Panel

Width mm	Adjustment mm	Doorway mm	Door Intrusion mm	Silver Code	Price £ Ex. VAT	Price £ Inc. VAT
750	710 - 750	505	339	6CB075	310.09	372.11
800	760 - 800	555	364	6CB080	314.95	377.94
900	860 - 900	655	415	6CB090	330.38	396.46
1000	960 - 1000	755	465	6CB100	356.37	427.64

Bifold door is reversible, hinge may be positioned to RH or LH. Bifold doors are supplied pre assembled.

1830mm Reduced Pivot Door in Recess and for Use with Optional Side Panel

Width mm	Adjustment mm	Doorway mm	Door Protrusion mm	Silver Code	Price £ Ex. VAT	Price £ Inc. VAT
700	660 - 700	440	447	6CP070	232.52	279.03
750	710 - 750	490	497	6CP075	243.00	291.60
800	760 - 800	520	527	6CP080	247.56	297.08
900	860 - 900	590	597	6CP090	262.68	315.22
1000	960 - 1000	640	647	6CP100	283.97	340.77

Pivot door is reversible, hinge may be positioned to RH or LH. Pivot doors are supplied pre assembled. Extension profiles available - please see opposite page.

1830mm Reduced Height Optional Side Panel for Sliding, Bifold and Pivot Doors

Width mm	Adjustment mm	Silver Code	Price £ Ex. VAT	Price £ Inc. VAT
700	660 - 700	6CSP070	199.29	239.15
750	710 - 750	6CSP075	209.11	250.93
800	760 - 800	6CSP080	212.86	255.43
900	860 - 900	6CP090	226.70	272.03
1000	960 - 1000	6CSP100	246.51	295.82



Reduced Height - 2 Door Quadrant Shower Doors

1830mm Reduced Height Two Door Quadrant

Width mm	Adjustment mm	Doorway mm	Silver Code	Price £ Ex. VAT	Price £ Inc. VAT
800 x 800	770 - 790	370	6CR080	371.44	445.73
900 x 900	870 - 890	500	6CR090	406.48	487.78

Suitable for use on 550mm radius quadrant trays ONLY.
Extension profiles available - please see below.

1830mm Reduced Height Two Door Offset Quadrants

Width mm	Adjustment mm	Doorway mm	Silver Code	Price £ Ex. VAT	Price £ Inc. VAT
900x800	870 - 890 / 770 - 790	450	6CR098	400.34	480.41
1000 x 800	970 - 990 / 770 - 790	450	6CR108	424.52	509.42
1200 x 800	1170 - 1190 / 770 - 790	450	6CR128	471.87	566.24
1200 x 900	1170 - 1190 / 870 - 890	530	6CR129	478.09	573.71

Suitable for use on 550mm radius quadrant trays ONLY.
Fully reversible semi framed quadrant (offset types may be constructed LH or RH). Units are supplied in kit form.
Extension profiles available - please see below.

Optional Extension Profiles

Width mm	Adjustment mm	Silver Code	Price £ Ex. VAT	Price £ Inc. VAT
15mm	15mm Clip On Extension Profile	ALEP15	30.00	36.00
30mm	30mm Clip On Extension Profile	ALEP	35.63	42.75

Extension profiles will need to be trimmed to height on during installation.



Bath Screens

Eye-catching frameless over bath hinged screens – smart square or gorgeous curved design. Smooth 90° in/out and clear seals to keep the water in.

FEATURES:

Height 1500mm

6mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS
EN14428:2015+A1:2018

Curved and square designs

Single and double panel

Frameless

Supplied fully assembled

AllClear® easy clean glass both sides

15mm adjustment

Concealed wall profile cover caps
as standard

Lifetime warranty

Fully reversible

90° in/out door rotation

Effortless installation



SILVER



BLACK



BRUSHED BRASS





Single Bath Screens

Curved Single Panel Hinged Bath Screen

Size w x h mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
800 x 1500	785-800	BSA10S	B or BRS	162.86	195.43	182.40	218.88	192.17	230.61

Glass radius 70mm.

Square Single Panel Hinged Bath Screen


Size w x h mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
800 x 1500	785-800	BSA50S	B or BRS	162.86	195.43	182.40	218.88	192.17	230.61

Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.

When ordering your door please use the code for the size required. Then add the colour code you need.

Example: BSA10S is the standard silver code. Add suffix B for Black or BRS for Brushed Brass.

Example, BSA10B for Black, BSA10BRS for Brushed Brass.





Double Bath Screens

Curved Double Panel Hinged Bath Screen

Size w x h mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
950 x 1500	885-900	BSA20S	B or BRS	297.83	357.39	333.56	400.28	351.43	421.72


Glass radius 70mm.

Square Double Panel Hinged Bath Screen

Size w x h mm	Adjustment mm	Silver Code	Add Colour Code	Silver Prices		Black Prices		Brushed Brass Prices	
				Ex. VAT £	Inc. VAT £	Ex. VAT £	Inc. VAT £	Ex. VAT	Inc. VAT
950 x 1500	885-900	BSA60S	B or BRS	297.83	357.39	333.56	400.28	351.43	421.72

Fixed panel 310mm complete with bracing bar. Twin panel is supplied complete with bracing bar.
Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.

When ordering your door please use the code for the size required. Then add the colour code you need.
Example: BSA20S is the standard silver code. Add suffix B for Black or BRS for Brushed Brass.
Example, BSA20B for Black, BSA20BRS for Brushed Brass.



Stone Resin Shower Trays

Superbly engineered and produced in the UK to the most exacting standards. Modern, minimalist low-profile form with a truly comfortable standing area, exceptional water draining capacity, available as standard or slip resistant and the perfect partner to Lakes 6mm shower doors and 8mm Walk In panels.

FEATURES:

Acrylic capped ABS stone resin

Super strong and rigid

50mm height tray perimeter

30% lighter than standard resin trays

50mm wide tray rim

Super white finish

Standard and Slip Resistant to Class C,
DIN 51097

All trays comply to BS EN14527:2006 Class 1/
BS EN15720:2009

Can be fitted flat to floor or with easy fit
riser kit options

Suitable for marine ply boarded or
concrete floor

Integral anti-bacterial hygiene properties

Stain and chemical resistant

90mm Ø Top Fix waste sold separately

10-year guarantee

10
YEARS



NOTE: Trays must be plumbed and level, walls should be tiled down to the tray and sealed before doors are fitted. Check tray height before installation as there are manufacturing tolerances that must be allowed for.



The Safer Showering Experience


Stone Resin Slip Resistant Shower Trays.

FEATURES:

Easy Clean

Moulded slip-resistant acrylic capped surface

Surpasses the requirements of the Barefoot Ramp Test DIN 51097 for the best slip resistance



Class C, DIN 51097

Stone Resin Shower Trays

Square Shower Trays (order waste separately)



Size w x h mm	Waste Position	Code	Price £ Ex. VAT	Price £ Inc. VAT	Riser Kit
700 x 700	Corner	ST70SW	111.88	134.26	STKIT1
760 x 760	Corner	ST76SW	111.88	134.26	STKIT1
800 x 800	Corner	ST80SW	129.85	155.82	STKIT1
900 x 900	Corner	ST90SW	145.37	174.44	STKIT1

Rectangular Shower Trays (order waste separately)



Size w x h mm	Waste Position	Code	Price £ Ex. VAT	Price £ Inc. VAT	Riser Kit
700 x 900	Corner	ST79RW	185.38	222.46	STKIT2
700 x 1000	Corner	ST710RW	191.92	230.30	STKIT2
700 x 1200	Corner	ST712RW	199.27	239.12	STKIT2
700 x 1400	Corner	ST714RW	322.58	387.10	STKIT3
700 x 1500	Corner	ST715RW	360.97	433.16	STKIT3
700 x 1600	Corner	ST716RW	425.48	510.58	STKIT3
700 x 1700	Corner	ST717RW	455.70	546.84	STKIT3
760 x 1000	Corner	ST7610RW	191.92	230.30	STKIT2
760 x 1200	Corner	ST7612RW	200.08	240.10	STKIT2
760 x 1400	Corner	ST7614RW	320.13	384.16	STKIT3
760 x 1500	Corner	ST7615RW	376.48	451.78	STKIT3
760 x 1700	Corner	ST7617RW	470.40	564.48	STKIT3
800 x 1000	Corner	ST810RW	191.92	230.30	STKIT2
800 x 1100	Corner	ST811RW	199.27	239.12	STKIT2
800 x 1200	Corner	ST812RW	221.32	265.58	STKIT2
800 x 1300	Corner	ST813RW	310.33	372.40	STKIT3
800 x 1400	Corner	ST814RW	320.13	384.16	STKIT3
800 x 1500	Corner	ST815RW	381.38	457.66	STKIT3
800 x 1600	Corner	ST816RW	425.48	510.58	STKIT3
800 x 1700	Long side centre	ST817RW	512.05	614.46	STKIT3
900 x 800	Corner	ST89RW	185.38	222.46	STKIT2
900 x 1000	Corner	ST910RW	199.27	239.12	STKIT2
900 x 1100	Corner	ST911RW	208.25	249.90	STKIT2
900 x 1200	Corner	ST912RW	238.47	286.16	STKIT2
900 x 1400	Corner	ST914RW	337.28	404.74	STKIT3
900 x 1500	Corner	ST915RW	396.08	475.30	STKIT3
900 x 1600	Corner	ST916RW	441.82	530.18	STKIT3
900 x 1700	Long side centre	ST917RW	552.07	662.48	STKIT3

Quadrant Shower Trays (order waste separately)



Size w x h mm	Waste Position	Code	Price £ Ex. VAT	Price £ Inc. VAT	Riser Kit
800 x 800	Radius Edge	ST88QW	137.20	164.64	STKIT4
900 x 900	Radius Edge	ST99QW	153.53	184.24	STKIT4

550mm radius

Offset Quadrant Shower Trays (order waste separately)



Size w x h mm	Waste Position	Code	Price £ Ex. VAT	Price £ Inc. VAT	Riser Kit
800 x 100 LH	Radius Edge	ST810QWL	210.70	252.84	STKIT5
800 x 1000 RH	Radius Edge	ST810QWR	210.70	252.84	STKIT5
800 x 1200 LH	Radius Edge	ST812QWL	221.32	265.58	STKIT5
800 x 1200 RH	Radius Edge	ST812QWR	221.32	265.58	STKIT5
900 x 1200 LH	Radius Edge	ST912QWL	262.15	314.58	STKIT5
900 x 1200 RH	Radius Edge	ST912QWR	262.15	314.58	STKIT5

550mm radius

RIGHT HAND SHOWN

Stone Resin Slip Resistant Shower Trays

Square Shower Trays Slip Resistant to Class C, DIN 51097 Barefoot Ramp Test (order waste separately)



Size w x h mm	Waste Position	Code	Price £ Ex. VAT	Price £ Inc. VAT	Riser Kit
800 x 800	Corner	ST80SW-SR	164.25	197.10	STKIT1
900 x 900	Corner	ST90SW-SR	186.75	224.10	STKIT1

Rectangular Shower Trays Slip Resistant (order waste separately)



Size w x h mm	Waste Position	Code	Price £ Ex. VAT	Price £ Inc. VAT	Riser Kit
700 x 1200	Corner	ST712RW-SR	255.00	306.00	STKIT2
700 x 1400	Corner	ST714RW-SR	408.00	489.60	STKIT3
800 x 1000	Corner	ST810RW-SR	245.25	294.30	STKIT2
800 x 1200	Corner	ST812RW-SR	283.50	340.20	STKIT2
800 x 1400	Corner	ST814RW-SR	408.00	489.60	STKIT3
800 x 1500	Corner	ST815RW-SR	481.50	577.80	STKIT3
800 x 1600	Corner	ST816RW-SR	537.75	645.30	STKIT3
800 x 1700	Long Side Centre	ST817RW-SR	650.25	780.30	STKIT3
900 x 1200	Corner	ST912RW-SR	304.50	365.40	STKIT2
900 x 1400	Corner	ST914RW-SR	429.75	515.70	STKIT3
900 x 1700	Long Side Centre	ST917RW-SR	700.50	840.60	STKIT3


Shower Tray Wastes



	Code	Price £ Ex. VAT	Price £ Inc. VAT
90mm Ø High Flow Waste Chrome	STWASTE90C	32.50	39.00
90mm Ø High Flow Waste Matt Black	STWASTE90B	40.83	49.00
90mm Ø High Flow Waste Brushed Brass	STWASTE90BRS	49.17	59.00

Waste conforms to BS EN 274 and has 50mm water seal and removable debris trap.
The Top-Fix design allows easier and safe installation.
Shower Waste 90mm G1 1/2".
Flow Rate 32Ltrs p/m.

Shower Tray Riser/Panel Kits



	Code	Price £ Ex. VAT	Price £ Inc. VAT
Riser/Panel Kit Square trays to 900mm	STKIT1	104.17	125.00
Riser/Panel Kit Rect, trays to 1200mm	STKIT2	104.17	125.00
Riser/Panel Kit Rect, trays > 1200mm	STKIT3	104.17	125.00
Riser/Panel Kit Quad	STKIT4	120.83	145.00
Riser/Panel Kit Offset Quad	STKIT5	120.83	145.00

Includes height adjustable legs, panels and clips. 85mm installed height.


Shower Tray Waste Positions

Measuring a space for a shower tray:


The tray waste positions below are provided as a guide only for first fix plumbing of the tray.

Please take into consideration wall tiles or wall panels when specifying the tray size.


RECTANGULAR (CENTRE WASTE)




RECTANGULAR (CORNER WASTE)




SQUARE



QUADRANT



OFFSET QUADRANT (RH SHOWN)



Lakes Quality Guaranteed

We have created this product information section to assist with your purchase and to provide useful information once your Lakes shower enclosure is installed.

For further information please visit: www.lakesuk.com

All Lakes shower enclosures & bath screens are manufactured to the highest standards according to ISO 9001: 2015 Quality Management System.

All Lakes shower enclosures & bath screens are UKCA (& CE) marked, tested & conform with BS EN14428:2015+A1:2018. All glass used in construction is thermally toughened & marked according to EN12150-1.

Lakes shower trays comply to BS EN14527:2006 Class 1/ BS EN15720:2009. Shower wastes are manufactured to BS EN 274-1: 2002



Lakes Guarantee



1900 shower enclosures, 1920 walk in panels and all bath screens are covered by our **Lifetime guarantee** against manufacturing defect.



1830 shower enclosures are covered by a **10-year guarantee** against manufacturing defect.

Both guarantees are valid on condition that the products have been installed and maintained in accordance with the product's fitting instructions provided and used as intended. Damage or defects resulting from modification and or repair by unauthorised persons, improper use or are ex-display products are not covered.

Lakes will resolve any defects resulting from manufacturing fault free of charge via repair or replacing parts, this must be only conducted by Lakes Bathrooms or an approved agent.

Parts that are subject to wear and tear during day-to-day usage e.g. seals are under guarantee for 12 months from date of purchase.

Please retain your proof of purchase to validate your guarantee.

If your product becomes defective call us on **01684 853870** or email: customerservice@lakesuk.com

Installation

Prior to installing your Lakes product, please read the installation guide in full. Failure to do so may invalidate your guarantee.

Shower trays must be plumbed and level, walls should be tiled or paneled down to the tray and sealed before doors are fitted. Check tray height before installation as there are manufacturing tolerances that must be allowed for.

AllClear®

Lakes Glass has been developed to ensure a crystal clear, smear-free, showering space. Our glass includes AllClear®, nano-bonded coating treatment, which is applied to both sides of the glass, meaning water, limescale and soap scum slide off the glass rather than sticking to it.


It stays clear and clean and comes as standard at no extra cost. Lakes Glass with AllClear® is 10 times more scratch resistant than standard glass, so it can handle whatever life throws at it.

Product Care

Caring for your shower door walk in panels, shower, bath screen and shower tray

To maintain your guarantee, we recommend cleaning as below:

- Glass: Only use a soft cloth and mild detergent, rinse off thoroughly after cleaning.
- Metal and metallic surfaces: Use only a soft cloth and warm soapy water. Rinse off thoroughly.
- In hard water areas, regular cleaning of your Lakes product will help to prevent the build-up of limescale.
- Limescale can be removed using a 50:50 solution of white vinegar and water.
- Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit/dirt which may have collected over time.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product.
- Do NOT use cleaning products, bleaches, solvents or abrasive pads.
- Non-compliance with these cleaning instructions will invalidate the products guarantee and may cause plated / painted / anodised surfaces/finishes to deteriorate and could adversely affect safe operation of the enclosure.



After Sales Commitment

At Lakes we are passionately devoted to providing the very best customer service. Lakes excellent customer service is supported by an extensive stock of spare parts across all ranges..

Call our dedicated customer service team on **01684 853870** who will deal with your enquiry and will swiftly dispatch your spares order. Alternatively email customerservice@lakesuk.com or head to our website and complete our enquiry form www.lakesuk.com/contact-us

Spare Parts

We have a team of technical experts who can deal with and offer advice on any queries you may have and arrange despatch of spare parts within 3-5 working days. Call us on **01684 853870**.

What to do if something goes wrong

Should the product not function correctly on initial use, firstly, contact the installer to check the installation is in accordance with your installation instructions. Should this not resolve difficulties or should performance decline, refer to the 'Troubleshooting' section withing the installation guide. Alternatively, our customer service team can assist or if necessary, arrange for a service engineer to visit. Please call **01684 853870**, email customerservice@lakesuk.com or head to our website and complete our enquiry form: www.lakesuk.com/contact-us

Returns Policy

Lakes will not accept return of any product no longer required that has been opened. We do not accept return of any product if the packaging has been damaged. If the product is unopened and not damaged, we will accept the return subject to agreed returns charges, but no longer than 3 months from date of original delivery.

As part of Lakes continuing policy of product improvement, we reserve the right to amend specifications, colours and prices and discontinue products without prior notice.

Images, room layouts and associated bathroom products are for marketing and visual purposes only. The colours and finishes shown in the catalogues are as accurate the printing process permits.

*Errors and Omissions Exempt.

Reference Guide

Easy Reference guide to order codes for products available in colours.

The default code is S for silver, B for Black, BRS for brushed brass must be added as a suffix. Please use the codes below when ordering black or brushed brass products.

1900mm Height Sliding Door			
Width mm	Silver Code	Black Code	Brushed Brass Code
1000	AS100	AS100B	AS100BRS
1100	AS110	AS110B	AS110BRS
1200	AS120	AS120B	AS120BRS
1300	AS130	AS130B	AS130BRS
1400	AS140	AS140B	AS140BRS
1500	AS150	-	-
1600	AS160	-	-
1700	AS170	-	-

1900mm Height Bifold Door			
Width mm	Silver Code	Black Code	Brushed Brass Code
700	AB070	-	-
750	AB075	-	-
800	AB080	AB080B	AB080BRS
900	AB090	AB090B	AB090BRS
1000	AB100	AB100B	AB100BRS

1900mm Height Pivot Door			
Width mm	Silver Code	Black Code	Brushed Brass Code
700	AP070	-	-
750	AP075	-	-
800	AP080	AP080B	AP080BRS
900	AP090	AP090B	AP090BRS
1000	AP100	-	-

1900mm Height Single Door Quadrant			
Size mm	Silver Code	Black Code	Brushed Brass Code
900 x 900	ARSD090 & ARSDDG	ARSD090B & ARSDDG	ARSD090BRS & ARSDDG
1000 x 800	ARSD108 & ARSDDG	ARSD108B & ARSDDG	ARSD108BRS & ARSDDG
1200 x 800	ARSD128 & ARSDDG	ARSD128B & ARSDDG	ARSD128BRS & ARSDDG
1200 x 900	ARSD129 & ARSDDG	ARSD129B & ARSDDG	ARSD129BRS & ARSDDG

1900mm Height Two Door Quadrant			
Width mm	Silver Code	Black Code	Brushed Brass Code
800 x 800	AR080	AR080B	AR080BRS
900 x 900	AR090	AR090B	AR090BRS
1000 x 800	AR108	-	-
1200 x 800	AR128	-	-
1200 x 900	AR129	-	-

1900mm Height Optional Side Panel			
Width mm	Silver Code	Black Code	Brushed Brass Code
700	ASP070	-	-
750	ASP075	-	-
800	ASP080	ASP080B	ASP080BRS
900	ASP090	ASP090B	ASP090BRS
1000	ASP100	-	-

1920mm Height Walk In Panels			
Width mm	Silver Code	Silver Code	Brushed Brass Code
700	AW070A	AW070AB	AW070ABRS
800	AW080A	AW080AB	AW080ABRS
900	AW090A	AW090AB	AW090ABRS
1000	AW100A	AW100AB	AW100ABRS
1100	AW110A	AW110AB	AW110ABRS
1200	AW120A	AW120AB	AW120ABRS
Deflector Panel	AW030C	AW030CB	AW030CBRS
T Joint	10CSS-62	10CSS-62B	10CSS-62BRS

1900mm Optional Extension Profiles			
Width mm	Silver Code	Black Code	Brushed Brass Code
15	ALEP15	ALEP15B	ALEP15BRS
30	ALEP	ALEPB	ALEPBRS

1900mm Height Cover Section Kits			
Height mm	Silver Code	Black Code	Brushed Brass Code
1900	AWP-C	AWP-CB	AWP-CBRS
1900	ACP-C	ACP-CB	ACP-CBRS

1500mm Height Bath Screens			
Item	Silver Code	Black Code	Brushed Brass Code
Curved Single	BSA10S	BSA10B	BSA10BRS
Square Single	BSA50S	BSA50B	BSA50BRS
Curved Double	BSA20S	BSA20B	BSA20BRS
Square Double	BSA60S	BSA60B	BSA60BRS



LAKES
Alexandra Way, Ashchurch, Tewkesbury,
Gloucestershire GL20 8NB
T: 01684 853870
info@lakesuk.com
lakesuk.com

